

Ecological functions of vegetation of riparian in preventing landslide of upper Ranoyapo River, North Sulawesi - Indonesia

by Parluhutan Siahaan 4

Submission date: 28-Dec-2020 05:27AM (UTC+0700)

Submission ID: 1481547297

File name: Ecological_functions_of_vegetation_of_riparian_in.pdf (1.3M)

Word count: 1738

Character count: 9369

ISSN: 1811-9506

B

Bioscience Research

An international quarterly journal of ISISnet

R

Innovative

Informative

Excelling

Worldwide



Volume : 16 No. 2
May: 2019

Editorial board

TOTAL ON BOARD EDITORS = 22

Editors (22)

Field Chief Editor (s)

Dr. Arruqe Hameed

Assistant Professor (Biochemistry)

Department of Biochemistry, Government College University Faisalabad, **Pakistan**

Interests: Biological chemistry, nano-biotechnology, Plant Biology, abiotic stresses, environmental Biology, antioxidants, diabetes,

Special Issues and Collections in ISI/Net journals

Website



Managing editor

Zahida Parveen Malik

In-HOUSE Editorial Incharge

Innovative Scientific Information & Services network Email: meditor@yahoo.co.uk

Specialty Chief Editor (s)

Dr. Wafaa Choumane*

Professor,

Head of the Department of Fundamental Sciences

Consultant in biotechnology at ICARDA in Aleppo, **Syria**

Faculty of Agriculture, Tishreen University,

P.O.Box 2059, Lattakia, Syria ,

Websites:

Interests:

Special Issues and Collections in ISI/Net journals

***Biotechnology**

Sr. #	Titles, Authors & affiliation (s)			Download
Research Articles				
1	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2019 16(2):888-897.	OPEN ACCESS	Download Free Full Text Article
Isolation and prevalence of multidrug-resistant extended-spectrum β-lactamase-producing <i>E. Coli</i> from adults and children Aly E. Abo-Amer ^{1,3*} , Hani Moubasher ² and Salam Shai ² ¹ Division of Microbiology, Department of Biology, Faculty of Science, University of Taif, P.O. Box 883, Taif, Saudi Arabia. ² Department of Botany and Microbiology, Faculty of Science, Cairo University, Giza, Egypt. ³ Department of Botany and Microbiology, Faculty of Science, Sohag University, Sohag (82324), Egypt.				
2	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2019 16(2):898-908.	OPEN ACCESS	Download Free Full Text Article
Some Physical Characteristics of Pellets from Cattle Manure Mansoureh Pourjafar ¹ and Javad Rezaeifar ² ¹ Higher Educational Complex of Saravan, Saravan, Sistan and Baluchistan, Iran.				
3	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2019 16(2):909-915.	OPEN ACCESS	Download Free Full Text Article
Abdominal obesity in relation to inflammatory markers and insulin resistance in obese Egyptian Females Moushira Zaki ¹ , Shams Kholoussi ² and Walaa Yousef ¹ <div>Windows Script diinstalir dan Siap Untuk menggunakannya - Klik kanan di menu (diatas desktop jemu), lalu pilih "Allow Windows Manager"</div>				
85	BRIEF COMMUNICATION	BIOSCIENCE RESEARCH, 2019 16(2): 1638-1640.	OPEN ACCESS	Download Free Full Text Article
Ecological functions of vegetation of riparian in preventing landslide of upper Ranoyapo River, North Sulawesi - Indonesia Ratna Siahaan, Nio Song Ai, and Parluhutan Siahaan Department of Biology, Faculty of Mathematics and Natural Sciences, University of Sam Ratulangi, Kampus Unrat, Manado 95115, North Sulawesi, Indonesia				
86	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2019 16(2): 1641-1646.	OPEN ACCESS	Download Free Full Text Article
Effects of Aerobic and Inspiratory Muscle training on Pulmonary functions in Hemodialysis patients Zahra Mohamed Hassan ¹ , Heba A. Bahey El Deen ² , Sahier Omar Elkhatab ³ , Khaled Takey Ahmed ^{4*} and Heba Abd El Maboud Yusuf ⁵ ¹ Department of Physical Therapy for Cardiovascular/Respiratory Disorders and Geriatrics, Faculty of Physical Therapy, Cairo University, Egypt ² Department of Physical Therapy and Health Rehabilitation, Faculty of Applied Medical Sciences, Jedd University, Kingdom of Saudi Arabia ³ Department of Physical Therapy for Surgery, Faculty of Physical Therapy, Misi University for Science and Technology, Egypt. ⁴ Department of Internal medicine and Nephrology, Faculty of Medicine, Cairo University, Egypt ⁵ Department of Physical Therapy, Faculty of Health Sciences, Beirut Arab University, Beirut, Lebanon ² Department of Physical Therapy for Cardiovascular/Respiratory Disorders and Geriatrics, Misi University for Science and Technology, Egypt				



Available online freely at www.isisn.org

Bioscience Research

Print ISSN: 1811-9506 Online ISSN: 2218-3973

Journal by Innovative Scientific Information & Services Network



BRIEF COMMUNICATION

BIOSCIENCE RESEARCH, 2019 16(2): 1638-1640.

OPEN ACCESS

Ecological functions of vegetation of riparian in preventing landslide of upper Ranoyapo River, North Sulawesi - Indonesia

Ratna Siahaan, Nio Song Ai, and Parluhutan Siahaan

Department of Biology, Faculty of Mathematics and Natural Sciences, University of Sam Ratulangi, Kampus Unsrat, Manado 95115, North Sulawesi, Indonesia

*Correspondence: ratna245_siahaan@yahoo.com Accepted: 26. Apr. 2019 Published online: 25 May 2019

Riparian as an ecosystem plays an important role in maintaining river water quality. Riparian vegetation located on the banks of rivers has ecological functions that ensure riparian functions run optimally. The upstream river has ecological functions as an area designated a soil and water conservation area so that the functions and benefits of a river can be sustainable. The Ranoyapo River which is the main river of the Ranoyapo River Basin is an important ecosystem for human and wildlife. This function and value can work well if the ecological function of riparian vegetation at the upstream part of the Ranoyapo River is also maintained. This study aims to analyze the ecological function of riparian vegetation in preventing prone landslides from the upper reaches of the Ranoyapo River, North Sulawesi, Indonesia. The method used is the survey method with direct observation at three points in the upper reaches of the Ranoyapo River. The results of the study indicate changes in land use from forest to agricultural land. The upstream part of the dam is built to drain irrigation water. Natural riparian vegetation in the form of trees is not much caused by the use of land as agricultural land. Riparian vegetation in the form of trees found, among others, *Ficus* and *Syzygium*. Riparian vegetation in the form of fruit trees. The many vegetation found is in the form of understorey vegetation. The pattern of land clearing upstream which causes a landslide of a cliff at some point. High rainfall can increase the flow and strong flow of the river so that the flow of river water erodes the cliffs of the river resulting in cliff landslides. This can cause changes in river morphology and river organism structures.

Keywords: riparian vegetation, cliff landslides, cliff erosion, landslide mitigation, Ranoyapo River

INTRODUCTION

Ranoyapo River which is the largest river of the Ranoyapo River, South and Southeast Minahasa, which plays an important role for residents and wildlife. The Ranoyapo River upstream serves as an area of soil and water conservation. During the rainy season, the flow of the upstream Ranoyapo River is very strong which can cause a landslide that can threaten the safety of residents who live or utilize riparian as agricultural land. Riparian vegetation found in riparian has an ecological multifunction that is

important in maintaining river water quality. One of the mechanisms carried out by riparian vegetation in maintaining river water quality is maintaining the stability of river banks. The roots of certain vegetation can maintain the soil structure so that it is not an landslide. This cliff landslide is not only detrimental to residents living on the banks of the river but also decreases the water quality of the Ranoyapo River. The purpose of this study was to analyze the riparian vegetation to maintain the water quality of the Ranoyapo River through the control of the landslide of the Ranoyapo River cliff.

MATERIALS AND METHODS

The study was conducted in nine (9) points along the upstream Ranoyapo River in South Minahasa Regency. The observation points are scattered in various different land uses, namely secondary forests, mixed gardens, and bushes of 3 points each. The research was conducted during the dry season. This study uses a purposive random sampling method. Determination of purposive sampling sites in each type of riparian land use for cliff landslide mapping and vegetation analysis. The line transect method (Soerianegara and Indrawan 2008) was used in vegetation analysis in riparian. The location can be on the left and / or right bank of the Ranoyapo River depending on the edge of the vegetation types.

Analysis of vegetation is carried out at all levels of trees (seedlings, poles, saplings and trees) and understorey (lianas, herbs, shrubs and grass). The plot length is adjusted to the width of the riparian vegetation zone. Plot size of 20 mx 20 m for tree observation (diameter > 20 cm), 10 mx 10 m for poles (diameter 10-20 cm), 5 mx 5 m for stakes (height ≥ 1.5 m, diameter <10 cm) and 2 mx 2 m for seedlings (up to 1.5 m high). Observation of root morphology is done visually by paying attention to the root type. Riparian vegetation samples were collected and preserved with 96% alcohol. Furthermore, the vegetation is dried in an oven at 40-50°C for about 48 hours before identification.

RESULTS

Research shows the occurrence of cliff landslides at several points. Riparian vegetation in the form of trees include *Ficus* and *Syzygium*. High rainfall will increase the flow velocity and flow of river water so that cliff erosion will occur. Soil structures that contain a lot of sand will accelerate cliff erosion. The pattern of land use which was originally forested into agricultural land in the Ranoyapo River Basin played a role in increasing the speed of this flow. Buildings in the form of dams upstream, Station I, have caused changes in riparian vegetation. Dams have eliminated riparian vegetation which has the potential to maintain the stability of river cliffs. This change decreases the ecological function of riparian vegetation.

The Ranoyapo River has economic value for people's prosperity. This can be seen from the utilization of the Ranoyapo River water as an irrigation source for agriculture, especially lowland rice. The pattern of changes in cliff land,

especially in the upstream area, has reduced the function of the Ranoyapo watershed in storing rainwater in the rainy season. The ability of vegetation in the form of trees can store rainwater in the rainy season so that the surface flow is not large which will maintain the speed of the river flow. This pattern of change will cause an increase in river currents, thus affecting cliff landslides.

The pattern of changes in land cover has caused quite dangerous erosion in the upstream Ranoyapo River. The roots of the tree riparian vegetation are not strong enough to withstand the erosion of strong river water. This can cause changes in river morphology which on one side can cause an increase in habitat but on the other hand can change the structure of river organisms. Cliff erosion can change the structure of the river bed which can threaten the sustainability of river aquatic organisms.

The pattern of changes in land cover in the upstream Ranoyapo watershed has caused sharp river fluctuations. Research in the dry season shows low river water levels. This greatly threatens the sustainability of aquatic organisms, especially in the upstream. Another thing that is high water discharge in the rainy season will cause strong river cliff erosion.

Riparian utilization as agricultural land causes a decrease in the ability of riparian vegetation to prevent cliff landslides. Riparian vegetation at Station III (downpart) in the form of bushes and grasses cannot suppress cliff avalanches by strong river currents. The soil structure that contains a lot of sand causes the stiffness to become stronger.

CONCLUSION

This geomorphological process is a natural process that impacts riparian vegetation. The increasing of landslide processes occur due to changes in land use in the Ranoyapo Watershed. Agricultural activities can increase the flow of the river thereby increasing the pressure on riparian vegetation. The pattern of land clearing in the upstream area causes cover of riparian vegetation to decrease. The effort that can be done is to maintain the integrity of riparian vegetation along the upstream.

CONFLICT OF INTEREST

The authors declared that present study was performed in absence of any conflict of interest.

ACKNOWLEDGEMENT

This research was funded by University of Sam Ratulangi through Riset Dasar Unggulan Unsrat (RDUU) Research Grant 2017.

AUTHOR CONTRIBUTIONS

RS designed the research, collected survey data, analyzed the data and wrote the manuscript. NSA carried out the laboratory work. PS collected survey data. All authors read and approved the final version

Copyrights: © 2019 @ author (s).

This is an open access article distributed under the terms of the **Creative Commons Attribution License (CC BY 4.0)**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author(s) and source are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

REFERENCES

- Arifin. 2010. Kajian Sifat Fisik tanah dan Berbagai Penggunaan Lahan dalam Hubungannya dengan Pendugaan Erosi Tanah. *Jurnal Pertanian MAPETA*. 12(2):72 – 144.
- Hunolt AE, Brantley EF, Howe JA, Wright AN, Wood CW. 2013. Comparison of native woody species for use as live stakes in streambank stabilization in the southeastern United States. *Journal of Soil and Water Conservation*. 68(5):384-391.
- Jones EBD, Helfman GS, Harper JO, Bolstad PV. 1999. Effects of riparian forest removal on fish assemblages in southern appalachian streams. *Conservation Biology* 13 (6):1454-1465.
- Micheli, ER, Kirchner, JW. 2002. Effects of Wet Meadow Riparian Vegetation on Streambank Erosion. 2. Measurements of Vegetated Bank Strength and Consequences for Failure Mechanics. *Earth Surface Processes and Landforms Earth Surf. Process. Landforms* 27: 687–697
- Mitsch WJ, Gosselink JG. 1993. *Wetlands*. Ed ke-2. New York: Van Nostrand Reinhold.
- Siahaan, R., Ai, NSA. 2014. Jenis-Jenis Vegetasi Riparian Sungai Ranoyapo, Minahasa Selatan. *Jurnal LPPM Bidang Sains dan Teknologi*. 1(1):7-12.
- Siahaan, R., Siahaan, P. 2017. Karakteristik Vegetasi Riparian Daerah Aliran Sungai

- Ranoyapo, Provinsi Sulawesi Utara. [Prosiding]. Semirata MIPAnet 2017: Sains untuk Kehidupan, FMIPA Unsrat, Manado Tanggal 24-26 Agustus 2017. 529-532 pp.
- Wenger S. 1999. *A review of the scientific literature on riparian buffer width, extent and vegetation*. Georgia: Institute of Ecology, University of Georgia. <http://outreach.ecology.uga.edu/tools/buffers/ut:review.pdf>. [15 Mar 2007].
- Zaimes GN, Schultz RC, Isenhardt TM. 2006. Riparian Land Uses and Precipitation Influences on Stream Bank Erosion in Central Iowa. *Journal of the American Water Resources Association (JAWRA)*. 83-97

Ecological functions of vegetation of riparian in preventing landslide of upper Ranoyapo River, North Sulawesi - Indonesia

ORIGINALITY REPORT

18%

SIMILARITY INDEX

15%

INTERNET SOURCES

8%

PUBLICATIONS

%

STUDENT PAPERS

PRIMARY SOURCES

1

www.isisn.org

Internet Source

7%

2

repo.unand.ac.id

Internet Source

2%

3

I. Grows, P. C. Gehrke, K. L. Astles, D. A. Pollard. "A comparison of fish assemblages associated with different riparian vegetation types in the Hawkesbury-Nepean River system", Fisheries Management and Ecology, 2003

Publication

1%

4

bioone.org

Internet Source

1%

5

repository.uinsu.ac.id

Internet Source

1%

6

li01.tci-thaijo.org

Internet Source

1%

7

repo.unsrat.ac.id

Internet Source

1%

8	eprints.unm.ac.id Internet Source	1 %
9	www.science.gov Internet Source	1 %
10	Khanna, D.R., R. Bhutiani, and Kumar S. Chandra. "A recursive approach for numerically identified DO-BOD interaction and kinetic formulation for water quality probability", International Journal of Environment and Waste Management, 2012. Publication	1 %
11	Kyle F. Flynn, Michael W. Suplee, Steven C. Chapra, Hua Tao. "Model-Based Nitrogen and Phosphorus (Nutrient) Criteria for Large Temperate Rivers: 1. Model Development and Application", JAWRA Journal of the American Water Resources Association, 2015 Publication	<1 %
12	M. E. Qureshi, S. R. Harrison. "Application of the analytic hierarchy process to riparian revegetation policy options", Small-scale Forest Economics, Management and Policy, 2003 Publication	<1 %
13	Rifgah Marmita, Ratna Siahaan, Roni Koneri, Marnix L Langoy. "MAKROZOOBENTOS SEBAGAI INDIKATOR BIOLOGIS DALAM	<1 %

MENENTUKAN KUALITAS AIR SUNGAI RANOYAPO, MINAHASA SELATAN, SULAWESI UTARA", JURNAL ILMIAH SAINS, 2013

Publication

14

Matthew W. Diebel. "Landscape Planning for
Agricultural Nonpoint Source Pollution
Reduction III: Assessing Phosphorus and
Sediment Reduction Potential", Environmental
Management, 01/2009

<1 %

Publication

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off