Road Maintenance Based on Community Participation in Minahasa Regency, North Sulawesi Province

by Grace Malingkas 5

Submission date: 23-Dec-2020 02:29PM (UTC+0700) Submission ID: 1480798641 File name: jurnal_IOS.pdf (400.85K) Word count: 2635 Character count: 14693 IOSR Journal of Business and Management (IOSR-JBM) e-ISSN: 2278-487X, p-ISSN: 2319-7668. Volume 21, Issue 12. Series. I (December. 2019), PP 69-74 www.iosrjournals.org

Road Maintenance Based on Community Participation in Minahasa Regency, North Sulawesi Province

[°]Grace Yoyce Malingkas

Civil Engineering Study Program, Sam Ratulangi University*

Abstract: The research took population at societal members Sample taking in the research by non random especially the purposive samples. In the research 230 respondents from 14 villages/wards.. Data analysis to know the influences of internal factor, external factor and local government policy toward the societal participation in the road maintenance in this analysis by using structural equation modeling (SEM). The result showed The road maintenance has participation choice at both, although there is tendency for higher selection at the societal participation at the road maintenance than road cooperative, good model is external factor, because give the highest contribution at the participation and the model than should be done such as the government with try to lower the road damage, decrease the difficulty in reaching the activity location and plan the effective road network that connected with other area.government policy, government with try to intensive to initiate community service initiated by government.For more significant road cooperative model implemented of to external factors, among others, the existence of damaged roads and difficult to place activities. Keywords: societal participation, cooperative road model, road maintenance.

Regirerus: societai participation, cooperative roud moder, roud maintenan

I.

Date of Submission: 28-11-2019

Date of Acceptance: 13-12-2019

Introduction

Road maintenance is absolutely necessary to maintain road conditions (Prabowo and Mulyono, 2016). Road damage and limited road maintenance funding have led to a decrease in the level of road services. Limited funding for road maintenance is a classic problem faced, where in almost all regions of Indonesia there is a lack of budget for road maintenance (Gultom, et al 2015). Based on data from the Minahasa Statistics Agency (2013), it can be seen that road conditions in Minahasa Regency are 26% damaged.

The level of service condition of a road service section greatly influences user comfort and safety. Unevenness(*irregular*) of road surface and road condition index are parameters that are often used to determine the level of road service conditions (Suherman, 2008). In recent years, a new tendency has emerged to carry out self-management / self-management of roads carried out in a self-managed manner by institutions that have a background and human resources in engineering such as the Department of Public Works and LLAJ. Although the state has a large role and responsibility, community participation is needed to guarantee the success of development (Kartasasmita, 1996). Community participation can basically be in the form of thinking, skills / expertise, energy, property or money.

Maintenance of rural roads using the method of road cooperatives, namely maintenance of rural road organizations, either by establishing a legal entity or without a legal entity, where the road is managed by the local community itself is an alternative budget solution in road maintenance (Isotalo, 1992). North Sulawesi is one of the provinces in Indonesia consisting of various ethnicities, religions and races, so that customs, traditions and culture are different but have high social capital, namely mutual cooperation. Communities as government partners in carrying out development, maintenance, require involvement in every project run by the government. Research (Muskin, et al 2011), shows how the factors that determine the success or failure, the size of the change depends on the involvement of the community as partners.

II. Method of Research design

The design of this study took a quantitative approach as a goal to test the theory of hypotheses based on the results of the questionnaire distribution instrument. The questionnaire instrument consisted of a number of structured questions and was distributed to respondents. The type of closed-ended question structure in which the respondent must choose from the answers already available on the questionnaire list. SEM (Structural Equation Modelling)requires data that is normally distributed or can be considered normally distributed. The sample size should not be too small, for SEM models with the number of latent variables (constructs) of up to five and each construct is explained by three or more indicators, the number of samples> 100 data is considered sufficient. Samples below 100 will not produce good results if using SEM (Sarwono, 2010).

DOI: 10.9790/487X-2112016974

www.iosrjournals.org


Road Maintenance Based on Community Participation in Minahasa Regency, North Sulawesi ...

Method of Data analysis


To find out the factors that influence community participation data analysis in this study uses Structural Equation Modeling (SEM) analysis with the help of AMOS Version 23. The model developed is a recursive path analysis model that aims to test the regression equation involving several exogenous variables (community participation in the road maintenance process, Community participation in the cooperative road model in the road maintenance process) and endogenous (internal factors, external factors, local government policies).

Internal Factor Indicators (X1), namely Education (X1.1), Income (X1.2), Family Composition (X1.3), Length of Stay (X1.4). External Factor Indicators (X2), namely Road Damage (X2.1), Difficulty to Place of Activity (X2.2), Road Disconnection (X2.3). Local Government Policy Indicators (X3), namely Giving Extension (X3.1), Submitting Assistance (X3.2), Making Bhakti Work (X3.3), Indicators of Community Participation Self-Help Method (Y1), namely Fund Collection (Y1.1), Employment Services (Y1.2), Reporting to the Government (Y1.3) and Participatory Road Model (Y2) Participatory Indicators namely Business Ownership (Y2.1), Property Ownership (Y2.2), Ownership of Heavy Vehicles (Y2.3)

Figure 1 Path Diagram Model of SEM Analysis



The diagram used in SEM can be seen in Figure 2 (Solimun, 2014)



III. Results and Discussion

Model of SEM Analysis Measurement

The measurement model is measured from the value of the standardize coefficient on each indicator to the latent variable. This value shows the weight of each indicator as a measure of each variable. The indicator with the largest value is the strongest (dominant) indicator.

Table 1. Testing Results of Measurement Models

Indikator —	M	inahasa	
Indikator —	S	P-	Value
X1.1 Pendidikan	0	507	0.000
X1.2 Pendapatan	0	557	0.000
X1.3 Keluarga	0	635	0.000

DOI: 10.9790/487X-2112016974

www.iosrjournals.org

Road Maintenance Based on Community Participation in Minahasa Regency, North Sulawesi ...

X1.4 Lama tinggal	0,530	0.000
X2.1 Kerusakan jalan	0,557	0.000
X2.2 Sulit ke Tpt Keg	0,588	0.000
X2.3 Keterputusan jalan	0,561	0.000
X3.1 Penyuluhan	0,563	0.000
X3.2 Bantuan	0,824	0.000
X3.3 Kerja bakti pem	0,780	0.000
Y1.1 Pengumpulan dana	0,594	0.000
Y1.2 Kerja bakti masy	0,694	0.000
Y1.3 Lapor ke Pemerin	0,628	0.000
Y2.1 Usaha	0,546	0.000
Y2.2 Properti	0,604	0.000
Y2.3 Kendaraan berat	0,603	0.000

Based on table 1, it can be seen that with α (real level) of 5% (0.05), all indicators have a standardize coefficient or loading factor with the indicator declared to be fixed and have a p-value <0.05, so it can be concluded that all significant indicators measure the Model variables .

Testing Model

Table 2. Fit Model Results					
Kriteria	Cut-of value	Hasil Model	Keterangan		
Chi Square (CMIN)		113.503			
DF		95			
Chi Square/DF	≤ 2.00	1.195	Model Baik		
GFI	≥ 0.90	0.946	Model Baik		
AGFI	≥ 0.90	0.923	Model Baik		
CFI	≥ 0.95	0.975	Model Baik		
RMSEA	≤ 0.08	0.029	Model Baik		
TLI	≥ 0.95	0.968	Model Baik		
Probabilitas (P)	≥ 0.05	0.095	Model Baik		

The results of the Goodness of Fit Overall test based on table 2 show that all of the model's eligibility criteria are met, meaning that the structural equation modeling (SEM) model in the study is feasible and can be used further for hypothesis testing

Obs.number	Mahalanobis d ²	p1	p2
138	34,764	0,004	0,627
149	34,637	0,004	0,273
136	34,474	0,005	0,095
43	31,282	0,012	0,319
10	30,790	0,014	0,235
140	30,342	0,016	0,176
58	30,337	0,016	0,085
42	30,168	0,017	0,046
95	30,144	0,017	0,020
197	28,746	0,026	0,075
108	28,078	0,031	0,104
194	27,366	0,038	0,160
224	27,321	0,038	0,103
114	26,959	0,042	0,106

The results of checking outlier data based on table 3 above shows that there are no data with values of both p1 and p2 values below 0.05 so that the data used are not outliers and can be used for analysis

DOI: 10.9790/487X-2112016974

www.iosrjournals.org

Road Maintenance Based on Community Participation in Minahasa Regency, North Sulawesi ...

Table 4. Normal Mulvariate Distribution						
Variable	min	max	skew	C.F.	kurtosis	C.F.
Y2.3	1,000	5,000	-,489	-3,030	-,952	-2,946
Y2.2	1,000	5,000	-,625	-3,871	-,378	-1,171
¥2.1	1,000	5,000	-,803	-4,972	,376	1,163
Y1.3	1,000	5,000	-,380	-2,352	-,782	-2,420
¥1.2	1,000	5,000	-,721	-4,464	-,004	-,011
¥1.1	1,000	5,000	-,627	-3,880	-,185	-,572
X3.1	1,000	5,000	-,307	-1,899	-,713	-2,207
X3.2	2,000	5,000	-,353	-2,186	-,468	-1,449
X3.3	2,000	5,000	-,305	-1,888	-,469	-1,452
X2.1	1,000	5,000	-,252	-1,558	-,942	-2,915
X2.2	1,000	5,000	-,437	-2,708	-,267	-,827
X2.3	1,000	5,000	-,390	-2,413	-,440	-1,362
X1.4	1,000	5,000	-,427	-2,643	-,489	-1,515
X1.3	1,000	5,000	-,420	-2,599	-,831	-2,573
X1.2	1,000	5,000	-,472	-2,924	-,659	-2,039
X1.1	1,000	5,000	-,471	-2,915	-,666	-2,062
Multivariate					7,721	2,440

Table 4. Normal Mulvariate Distribution

From the analysis results, the multivariate c.r value of 2,440 ⁶ in the range of -2.58 and 2.58 so that it can be concluded that the normal multivariate distribution is fulfilled. In this structural model, six hypotheses of relationship between latent variables are tested

Celationship Between Variables

In this structural model, six hypotheses of relationship between latent variables are tested. As in table 5 below.

Table 5. Relationships Between Variables

Hubungan Antar Variabel	Koefisien	CR	p-value	Keterangan	
Faktor Internal (X1) → Partisipasi Masyarakat (Y1)	0,059	0,578	0,563	Tidak Signifikan	
Faktor Ekstemal (X2) → Partisipasi Masyarakat(Y1)	0,553	3,142	0,002	Signifikan	
Kebijakan Pemerintah (X3)⇒ Partisipasi Masyarakat (Y1)	0,266	2,061	0,039	Signifikan	
Faktor Internal (X1)→ Model Rood Cooperative (Y2)	0,269	2,229	0,026	Signifikan	
Faktor Eksternal (X2)→ Model Road Cooperative (Y2)	0,432	2,452	0,014	Signifikan	
Kebijakan Pemerintah (X3)→ Model Road Cooperative (Y2)	0,159	1,163	0,245	Tidak Signifikan	

Explanation of the test results on each coefficient in the structural model is presented as follows:

The first test, the direct influence of internal fields or (X1) on community participation (Y1) obtained a coefficient value of 0.059 and a critical ratio of 0.578 with p-value = 0.563. Because p-value > 0.05 indicates that there is no significant effect between internal factors (X1) on community participation (Y1). This influence is positive but not significant. This shows that in Minahasa District the higher the internal factor (X1), it will not always result in higher community participation in road maintenance (Y1).

The second test, the direct influence of external fa(2)rs (X2) on Community Participation (Y1) obtained a coefficient value of 0.553 and a critical ratio of 3.142 with p-value = 0.002. Because the

p-value < 0.05 indicates that there is a significant influence between External Factors (X2) on Community Participation (Y1). This effect is positive (coefficient marked positive = 0.553). This shows that the higher the External Factor (Y1), the higher the Community Participation in road maintenance (Y1) will be higher.

DOI: 10.9790/487X-2112016974

www.iosrjournals.org

\overline{R} oad Maintenance Based on Community Participation in Minahasa Regency, North Sulawesi ...

The third test, the direct effect of Local Government Policy (X3) on Community Participation (Y1) obtained a coefficient value of 0.266 and a critical ratio of 2.061 with a p-value = 0.039. Because the p-value < 0.05 indicates that there is a significant influence between Local Government Policy (X3) on Community Participation in Road Maintenance. This effect is positive (coefficient marked positive = 0.266). This shows that the higher the Local Government Policy (X3), will increase Community Participation in road maintenance (Y1).

The fourth test, the direct influence of Internal Factors (X1) on the Partic ation of the Road Cooperative Model (Y2) obtained a coefficient value of 0.269 and a critical ratio of 2.222 with p-value = 0.026. Because the p-value < 0.05 indicates that there is a significant influence between internal factors on the participation of the Road Cooperative Model. This effect is positive (coefficient marked positive = 0.269). This shows that the higher internal factors will lead to the higher participation of the Cooperative Road Model.

The fifth test, the direct influence of external factors (X2) on the Part part part of the Road Cooperative Model (Y2) obtained a coefficient value of 0.432 and a critical ratio of 2.452 with p-value = 0.014. Because the p-value < 0.05 indicates that there is a significant influence between external factors (X2) on the Participation of the Road Cooperative Model (Y2). This effect is positive (coefficient marked positive = 0.432). This shows that the higher the external factor (X2), the higher the Participation of the Road Cooperative Model (Y2) will be

The sixth test, the direct effect of Setemoat Government Policy (X3) on the Part 2 pation of the Road Cooperative Model (Y2) obtained a coefficient value of 0.159 and a critical ratio of 1.163 with p-value = 0.245. Because p-value > 0.05 indicates that there is no significant effect between Local Government Policy (X3) on the Participation of the Road Cooperative Model (Y2). This effect is positive (coefficient marked positive = 0.432). This shows that the better the Local Government Policy (X3), will not always directly lead to higher Road Cooperative Model Participation (Y2).

IV. Conclusion

5 sed on the results of the analysis and discussion, it can be concluded several things: Berdasarkan hasil analisis dan pembahasan, dapat disimpulkan beberapa hal :

- 1. The results of the analysis based on research data illustrate that the form of community participation in the self-help model is greater than the participation in the road cooperative model in which the results of the research are found to be a factor loading.
- 2. Community participation model, namely external factors by contributing highest to participation in road maintenance, the model undertaken among others is the government seeking a low level of road damage, reducing the level of difficulty in reaching the place of activity, and planning an effective road network connected to other regions. Government Policy Factors are more intensive to initiate community service programs initiated by the government. The road cooperative model is more significantly implemented due to external factors such as the existence of damaged roads and difficulty in getting to the place of activity.

Recommendation

In the framework of implementing district road maintenance management programs / strategies, it is recommended:


- 1. Stakeholders should always involve the community to participate in determining program policies / strategies for road maintenance management, by conducting community service activities, proposing funds, and reporting road damage.
- 2. The existence of damage to the road needs to be used as an incentive for community participation in road maintenance, taking into account the existence of such damage is the incentive for the community to participate.
- 3. People who have lived for a long time will feel a sense of ownership of the surrounding area and roads, so it needs to be encouraged to participate more in road maintenance.
- 4. Road Cooperative Model Participation needs to be implemented in a simple and applicable form for road maintenance, such as business ownership, property ownership and ownership of heavy equipment domiciled in the area have a social responsibility to repair and build facilities and infrastructure in the area where they live for the advancement of the area.

Thank-You Note

Thank you especially to Prof. Ir. Harnen Sulistio, MSc, Ph. D, Ir. Ludfi Djakfar, MSCE, Ph.D, Ir. Achmad Wicaksono, M.Eng, Ph.D as the supervisor of the contract especial especial of the supervisor of the contract especial espec

DOI: 10.9790/487X-2112016974

www.iosrjournals.org



References

- BPS, 2013, Minahasa Dalam Angka 2013, Minahasa: BPS Minahasa [1]. [2].
- Gultom, T., Tamin, O. Z., Sjaffrudin, A., Pradono, 2015, Model Pembiayaan Pemeliharaan Jalan Dari Earmarked Tax Di Indonesia. Prosiding The 18th FSTPT International Symposium, Unila: Bandar Lampung, 242-259
- Isotalo, Jukka, 1992, Community Participation In Rural Road Maintenance: Finnish Experience And Lessons For Sub-Saharan [3]. Africa, Infrastructure Note, World Bank, Infrastructure And Urban Development Department. Washington, D.C., p:Rd-13
- [4]. Kartasasmita, G., 1996. Pembangunan Untuk Rakyat (Memadukan Pertumbuhan dan Pemerataan). Jakarta: Pustaka Cidesindo, p:154
- Muskin, Joshua A., A. Kamime, And A.Adlaoui. 2011. Empowered to Empower: a civil society-government partnership to increase [5]. girls Junior Secondary School Outcomes in Morocco. Research in Comparative and International Education, (6)1, 129-146
- [6]. Prabowo, D.R., Mulyono, A. T., 2016, Program Pemeliharaan Jalan Nasional Berdasarkan Nilai Kerataan Permukaan, Nilai Lendutan, Dan Nilai Modulus Elastisitas Perkerasan. Journal HPJI, 2(1), 63-70
- Sarwono, J., 2010. Pengertian Dasar Structural Equation Modeling (SEM). Jurnal Ilmiah Bisnis, (10)3, 173-182
- Solimun. 2014. A Study on the Correlation Measurement Errors in Structural Equation Modeling (SEM) Analysis. Applied [8]. Mathematical Sciences, (8)147, 7301-7309.
- [9]. Suherman, 2008, Studi Persamaan Korelasi antara Ketidakrataan Permukaan Jalan dengan Indeks Kondisi Jalan Studi Kasus Ruas Jalan Labuan - Cibaliung, Jurnal Teknik Sipil, (8)3, 206-214

IOSR Journal of Business and Management (IOSR-JBM) is UGC approved Journal with SI. No. 4481, Journal no. 46879.

Grace Yoyce Malingkas. "Road Maintenance Based on Community Participation in Minahasa Regency, North Sulawesi Province". IOSR Journal of Business and Management (IOSR-JBM), Vol. 21, No. 12, 2019, pp 69-74.

DOI: 10.9790/487X-2112016974

www.iosrjournals.org

Road Maintenance Based on Community Participation in Minahasa Regency, North Sulawesi Province

ORIGINALITY REPORT			
18% SIMILARITY INDEX	17% INTERNET SOURCES	2% PUBLICATIONS	4% STUDENT PAPERS
PRIMARY SOURCES			
1 Internet Sou	rnals.org		8%
2 link.spr	inger.com		2%
3 Submit Makass Student Pap		is Muhammad	liyah 2%
4 WWW.iO Internet Sou	srjournals.org		2%
5 jurnal.p	olinela.ac.id		1%
manage perforn enterpr	aharjo. "The role ement in creatin nance on the sm ises", Managem : An Internationa	g sustainability all and mediu ent of Environ	m mental
sinil uh	acid		1



8	dimensi.petra.ac.id	1%
9	ijlrem.org Internet Source	<1%
10	garuda.ristekdikti.go.id	<1%
11	"The Effect of Special Economic Zone and International Hub Port Development on the Transportation Infrastructure Provision", International Journal of Innovative Technology and Exploring Engineering, 2020 Publication	<1%

Exclude quotes	On	Exclude matches	Off
Exclude bibliography	On		