

**UNSRAT**

Andy Malik <andymalik@unsrat.ac.id>

LoA #2064

2 pesan

ARTEKS : Jurnal Teknik Arsitektur <tarsitekturunwira@gmail.com>

23 Mei 2023 pukul 15.15

Kepada: andymalik@unsrat.ac.id, valeriatheresiaw@gmail.com, rienekesela@unsrat.ac.id, ingeridmoniaga73@gmail.com

to: Andy Malik, Valeria Woy, Rieneke Sela, Ingerid MoniagaAffiliation: Department of Architecture, Faculty of Engineering
Universitas Sam Ratulangi, Indonesia**Dear Authors,**

We are pleased to inform you that your paper entitled "[The impact of vegetation and buildings density on flood and landslides in Wenang and Wanea Districts using normalized difference vegetation index and normalized difference built-up index](#)" was reviewed by 2 reviewers and got positive opinion. This paper has been accepted for publication at the peer-reviewed "**ARTEKS : Jurnal Teknik Arsitektur**", to be published in August 31, 2023 (volume 8, issue 2).

You can monitoring the manuscript progress on

<https://journal.unwira.ac.id/index.php/ARTEKS/index>

Please let me know if you need further assistance.

Thanks and best regards

ARTEKSJURNAL TEKNIK ARSITEKTUR
UNIVERSITAS KATOLIK WIDYA MANDIRA

ARTEKS : Jurnal Teknik Arsitektur

email: tarsitekturunwira@gmail.com<https://journal.unwira.ac.id/index.php/ARTEKS/index>**ARTEKS ACCREDITED Rank 2 [Grade Sinta 2]** by Ministry of Research, Technology and Higher Education of the Republic of Indonesia, Decree No. 85/M/KPT/2020, April 01, 2020**ARTEKS Indexed by:**DOAJ
DIRECTORY OF
OPEN ACCESS
JOURNALS**Valeria Theresia Woy** <valeriatheresiaw@gmail.com>

23 Mei 2023 pukul 15.16

Kepada: andymalik@unsrat.ac.id

----- Pesan yang diteruskan -----

Dari: **ARTEKS : Jurnal Teknik Arsitektur** <tarsitekturunwira@gmail.com>

Tanggal: Sel, 23 Mei 2023 pukul 15.15

Subjek: LoA #2064

Ke: <andymalik@unsrat.ac.id>, <valeriatheresiaw@gmail.com>, <rienekesela@unsrat.ac.id>, <ingeridmoniaga73@gmail.com>

[Kutipan teks disembunyikan]



[ARTEKS] Editor Decision

1 pesan

rlake <jurnalunwira@gmail.com>

19 Februari 2023 pukul 06.49

Kepada: Valeria Theresia Woy <valeriatheresiaw@gmail.com>, Andi Malik <andymalik@unsrat.ac.id>

Valeria Theresia Woy, Andi Malik:

We have reached a decision regarding your submission to ARTEKS : Jurnal Teknik Arsitektur, "The Analysis of Normalized Difference Vegetation Index and Normalized Difference Built-Up Index on Flood and Landslides in Wenang and Wanea Districts".

Our decision is: Revisions Required

ARTEKS

Program Studi Arsitektur Fakultas Teknik Universitas Katolik Widya Mandira

tarsitekturunwira@gmail.com

Reviewer A:

Recommendation: Revisions Required

1. The topic is relevant to the scope of the journal

Yes

Your Comment on Topic:

Relevan.

2. The article is written in English or in Indonesian [with maximum of 4000 words]

Yes

Your Comment on maximum words:

Check.

3. The title is precise, concise, and clear which adheres to the substance of the topic and does not provide multiple interpretation

Yes

Your Comment on Title:

Check.

4. The content is original

Yes

Your Comment on original:

Check.

5. The abstract describes the content of the article [with maximum of 200 words in length]

Yes

Your Comment on abstract:

Check.

6. The key words are written in English and Indonesian

Yes

Comments on key words:

Check.

7. The Introduction section covers:

a. Background of the study, problem statements, objectives and significance of the study, research design, literature review, and hypothesis [if any]

Yes

Comments on Introduction:

Check.

b. Hypothetical stands that become the research questions

Yes

Your Comment on Introduction:

Check.

c. The introduction section is extended from the abstract so no sub-sections follow

Yes

Your Comment on Introduction:

Check.

d. Statement of novelty and state of art

Yes

Your Comment on Introduction:

Belum secara eksplisit menuliskan novelty, sebaiknya dapat disajikan dengan menyebutkan beberapa penelitian terdahulu.

8. Research Method:

a. The data are up-to-date; the selection of samples represents the issue and object of the study

Yes

Comments on Research Method:

Check.

b. The method used is robust and vigorous

Yes

Your Comment on Research Method:

9. Result and Discussion:

a. The result of the analysis answers the research questions

Yes

Your Comment on Result and Discussion:

b. Data are displayed in tables, diagrams or figures [each table, diagram, or figure is referred in the body of the article]

No

Your Comment on Result and Discussion:

Gambar analisis GIS sebaiknya disajikan dalam bentuk tabel agar dapat terlihat jelas perbandingan antara tahun 2013 - 2021

Tabel tidak disajikan seperti gambar, harus dapat diedit dan style-nya mengikuti template jurnal. Rumus (formulas) dapat disajikan mengikuti template jurnal, dan tidak berupa gambar

c. The findings of the study contribute to the development of scientific knowledge

Yes

Your Comment on Result and Discussion:

10. The conclusion made is based on the result analysis and discussion. [there is a consistency among the research problems, objectives of the research, and the conclusion]

Yes

Your Comment on Conclusion:

11. References:

a. At least 20 references cited are research report articles, and at least 40 are literature reviews

Yes

Your Comment on References:

b. Eighty percent of references contain primary references [journal articles, articles from proceedings, thesis, and dissertations]

Yes

Your Comment on References:

c. Eighty percent of references are current [published within the last five years]

Yes

Your Comment on References:

12. The length of Introduction and Method sections is 40% of the whole body of the article and findings and conclusion sections is 60%

Yes

Your Comment on Article Proportion:

13. Note and Recommendation:

Dapat dilanjutkan dengan memperhatikan revisi.

*** This is an automated message. **Please do not reply to this email.**

contact email please to: tarsitekturwira@gmail.com

ARTEKS : Jurnal Teknik Arsitektur



[ARTEKS] Editor Decision

1 message

rlake <jurnalunwira@gmail.com>

Sat, May 6, 2023 at 7:36 AM

To: Valeria Theresia Woy <valeriatheresiaw@gmail.com>, Andi Malik
<andymalik@unsrat.ac.id>

Valeria Theresia Woy, Andi Malik:

We have reached a decision regarding your submission to ARTEKS : Jurnal Teknik Arsitektur, "The Analysis of Normalized Difference Vegetation Index and Normalized Difference Built-Up Index on Flood and Landslides in Wenang and Wanea Districts".

Our decision is: Revisions Required

ARTEKS

Program Studi Arsitektur Fakultas Teknik Universitas Katolik Widya Mandira
tarsitekturunwira@gmail.com

Reviewer A:

Recommendation: Revisions Required

1. The topic is relevant to the scope of the journal

Yes

Your Comment on Topic:

2. The article is written in English or in Indonesian [with a maximum of 4000 words]

No

Your Comment on maximum words:

Please proofreading

3. The title is precise, concise, and clear which adheres to the substance of the topic and does not provide multiple interpretation

Yes

Your Comment on Title:

4. The content is original

Yes

Your Comment on original:

5. The abstract describes the content of the article [with maximum of 200 words in length]

Yes

Your Comment on abstract:

6. The key words are written in English and Indonesian

Yes

Comments on key words:

Please proofreading full article

7. The Introduction section covers:

a. Background of the study, problem statements, objectives and significance of the study, research design, literature review, and hypothesis [if any]

Yes

Comments on Introduction:

b. Hypothetical stands that become the research questions

Yes

Your Comment on Introduction:

c. The introduction section is extended from the abstract so no sub-sections follow

Yes

Your Comment on Introduction:

d. Statement of novelty and state of art

Yes

Your Comment on Introduction:

8. Research Method:

a. The data are up-to-date; the selection of samples represents the issue and object of the study

Yes

Comments on Research Method:

b. The method used is robust and vigorous

Yes

Your Comment on Research Method:

9. Result and Discussion:

a. The result of the analysis answers the research questions

Yes

Your Comment on Result and Discussion:

b. Data are displayed in tables, diagrams or figures [each table, diagram, or figure is referred in the body of the article]

Yes

Your Comment on Result and Discussion:

c. The findings of the study contribute to the development of scientific knowledge

Yes

Your Comment on Result and Discussion:

10. The conclusion made is based on the result analysis and discussion. [there is a consistency among the research problems, objectives of the research, and the conclusion]

Yes

Your Comment on Conclusion:

11. References:

a. At least 20 references cited are research report articles, and at least 40 are literature reviews

Yes

Your Comment on References:

b. Eighty percent of references contain primary references [journal articles, articles from proceedings, thesis, and dissertations]

Yes

Your Comment on References:

c. Eighty percent of references are current [published within the last five years]

Yes

Your Comment on References:

12. The length of Introduction and Method sections is 40% of the whole body of the article and findings and conclusion sections is 60%

Yes

Your Comment on Article Proportion:

13. Note and Recommendation:

Please proofreading full article

*** This is an automated message. **Please do not reply to this email.**

contact email please to: tarsitekturunwira@gmail.com

ARTEKS : Jurnal Teknik Arsitektur

**UNSRAT**

Andy Malik <andymalik@unsrat.ac.id>

[ARTEKS] Editor Decision

2 pesan

rlake <jurnalunwira@gmail.com>

23 Mei 2023 pukul 15.05

Kepada: Valeria Theresia Woy <valeriatheresiaw@gmail.com>, Andi Malik <andymalik@unsrat.ac.id>

Valeria Theresia Woy, Andi Malik:

We have reached a decision regarding your submission to ARTEKS : Jurnal Teknik Arsitektur, "The Analysis of Normalized Difference Vegetation Index and Normalized Difference Built-Up Index on Flood and Landslides in Wenang and Wanea Districts".

Our decision is to: Accept Submission

ARTEKS

Program Studi Arsitektur Fakultas Teknik Universitas Katolik Widya Mandira

tarsitekturunwira@gmail.com-----
Reviewer A:Recommendation: Accept Submission

1. The topic is relevant to the scope of the journal

Yes

Your Comment on Topic:

2. The article is written in English or in Indonesian [with maximum of 4000 words]

Yes

Your Comment on maximum words:

3. The title is precise, concise, and clear which adheres to the substance of the topic and does not provide multiple interpretation

Yes

Your Comment on Title:

4. The content is original

Yes

Your Comment on original:

5. The abstract describes the content of the article [with maximum of 200 words in length]

Yes

Your Comment on abstract:

6. The key words are written in English and Indonesian

Yes

Comments on key words:

7. The Introduction section covers:

a. Background of the study, problem statements, objectives and significance of the study, research design, literature review, and hypothesis [if any]

Yes

Comments on Introduction:

b. Hypothetical stands that become the research questions

Yes

Your Comment on Introduction:

c. The introduction section is extended from the abstract so no sub-sections follow

Yes

Your Comment on Introduction:

d. Statement of novelty and state of art

Yes

Your Comment on Introduction:

8. Research Method:

a. The data are up-to-date; the selection of samples represents the issue and object of the study

Yes

Comments on Research Method:

b. The method used is robust and vigorous

Yes

Your Comment on Research Method:

9. Result and Discussion:

a. The result of the analysis answers the research questions

Yes

Your Comment on Result and Discussion:

b. Data are displayed in tables, diagrams or figures [each table, diagram, or figure is referred in the body of the article]

Yes

Your Comment on Result and Discussion:

c. The findings of the study contribute to the development of scientific knowledge

Yes

Your Comment on Result and Discussion:

10. The conclusion made is based on the result analysis and discussion. [there is a consistency among the research problems, objectives of the research, and the conclusion]

Yes

Your Comment on Conclusion:

11. References:

a. At least 20 references cited are research report articles, and at least 40 are literature reviews

Yes

Your Comment on References:

b. Eighty percent of references contain primary references [journal articles, articles from proceedings, thesis, and dissertations]

Yes

Your Comment on References:

c. Eighty percent of references are current [published within the last five years]

Yes

Your Comment on References:

12. The length of Introduction and Method sections is 40% of the whole body of the article and findings and conclusion sections is 60%

Yes

Your Comment on Article Proportion:

13. Note and Recommendation:

Accepted

*** This is an automated message. **Please do not reply to this email.**

contact email please to: tarsitekturunwira@gmail.com

ARTEKS : Jurnal Teknik Arsitektur

Valeria Theresia Woy <valeriatheresiaw@gmail.com>
Kepada: andymalik@unsrat.ac.id

23 Mei 2023 pukul 15.10

----- Pesan yang diteruskan -----

Dari: **rlake** <jurnalunwira@gmail.com>

Tanggal: Sel, 23 Mei 2023 pukul 15.05

Subjek: [ARTEKS] Editor Decision

Ke: Valeria Theresia Woy <valeriatheresiaw@gmail.com>, Andi Malik <andymalik@unsrat.ac.id>

[Kutipan teks disembunyikan]



Declaration of plagiarism free

We, the undersigned:

Author : Andy Anton Mangopa Malik

Title article : The Analysis of Normalized Difference Vegetation Index and Normalized Difference Built-Up Index on Flood and Landslides in Wenang and Wanea Districts

Affiliates : Sam Ratulangi University

Hereby, we declare that in this research article there no works have been proposed and along with our knowledge there are no works/opinions that have been written/published by other people, except those that are writing referred to in this manuscript and mentioned in the bibliography.

Manado , May 22nd 2023

Declaration maker,



Andy Anton Mangopa Malik



Copyright Transfer Agreement

Editor in Chief

ARTEKS : Jurnal Teknik Arsitektur
Architecture of Study Program, Faculty of Engineering
Universitas Katolik Widya Mandira
Kupang, Nusa Tenggara Timur
Indonesia.

Publication Title: ARTEKS : Jurnal Teknik Arsitektur

Paper Title: _____

Contact Author Name and Address: _____

We are pleased to inform that the manuscript has been accepted for publication. Thank you.

The author(s) warrant(s) that the above cited manuscript is the original work of the author(s) and has never been published in its present form.

The undersigned with the consent of all authors, hereby transfer, to the extent that there is copyright to be transferred, the exclusive copyright interest in the above-cited manuscript, in this and all subsequent editions of this manuscript, and in derivatives, translations, or ancillaries, in English and in foreign translations, in all formats and media of expression now known or later developed, including electronic, to the Faculty Engineering, Universitas Katolik Widya Mandira.

This transfer does not preclude authors from using the manuscript or parts therein for their own work.

SIGN HERE FOR COPYRIGHT TRANSFER

Author 's Name and Signature: _____ Date: _____

Author 's Name and Signature: _____ Date: _____

Author 's Name and Signature: _____ Date: _____

Author 's Name and Signature: _____ Date: _____

Author 's Name and Signature: _____ Date: _____

The impact of vegetation and buildings density on flood and landslides in Wenang and Wanea Districts using normalized difference vegetation index and normalized difference built-up index

Andy Malik, Valeria Theresia Woy*^{ID}, Rieneke Lusiana Evani Sela, Ingerid Moniaga

Department of Architecture, Faculty of Engineering, Universitas Sam Ratulangi
Kampus Bahu Unsrat, Manado, Indonesia



ARTICLE INFO	ABSTRACT
<p><i>Article history:</i> Received January 24, 2023 Received in revised form March 08, 2023 Accepted May 23, 2023 Available online August 01, 2023</p> <p><i>Keywords:</i> Flood Landsat Landslides Normalized difference built-up index Normalized difference vegetation index</p> <p>*Corresponding author: Valeria Theresia Woy Department of Architecture, Faculty of Engineering, Universitas Sam Ratulangi, Manado, Indonesia Email: valeriatheresiaw@gmail.com ORCID: https://orcid.org/0000-0001-5026-7262</p>	<p><i>Rapid urban development increase building density at the expense of vegetation. When urban areas become less green and more concrete, environmental problems such as floods and landslides are likely to occur. This study aimed to investigate the changes in vegetation and building density in Wenang and Wanea Districts over 8 years based on Landsat imagery using ArcGIS tools. Methods such as the Normalized Difference Vegetation Index (NDVI) and Normalized Difference Built-Up Index (NDBI) were used to analyze the impact of these effects on floods and landslides. From the results, vegetation density declined while building density increased over 8 years. These changes influenced floods and landslides based on the magnitude of vegetation and building indices. For instance, areas with higher building indices became more prone to flooding while those with higher vegetation indices were susceptible to landslides.</i></p>

Introduction

The high rate of urbanization in modern times increases the need for urban development to avoid issues such as overcrowding. According to [Kaur and Gupta \(2022\)](#), this can lead to a reduction in the natural land cover and a corresponding increase in built-up land which disrupt the natural patterns and processes of the urban landscape. [Zheng, Tang, and Wang \(2021\)](#) established that urbanization lifted hundreds of millions of people out of poverty. However, it had serious environmental consequences and presents enormous social challenges, including increased

greenhouse gas emissions, loss of arable land, ecological risks, air and water pollution, and environmental degradation. hydrological and ecological, urban heat island effect, and increased energy use.

Manado is the second largest city in Sulawesi and it is the center of all national activities, specifically North Sulawesi. It is a service center for activities serving the surrounding areas, necessitating land for expansion. This is specifically true when Wenang and Wanea Districts were designated as urban service centers to support growth and the economy in Manado City or become service orientations to other

centers in the vicinity. This led to increased rapidity of development in these two areas, both towards the coast and the hills. However, this development has not been beneficial for both people and the environment because of poor planning. According to [Li and Wang \(2022\)](#), proper planning is necessary for building a comprehensive urban.

[Shi, Jiang, and Yao \(2018\)](#) established that human activities such as urbanization raised the issue of land use and land cover change (LULCC). The increased rapidity of development resulted in significant changes in urban land use patterns. Moreover, [Yusoff \(2020\)](#) established that more forests turned into built-up areas and natural resources over-exploited for human needs recently ([Pradono 2019](#); [Widodo 2019](#)).

Remote sensing is the acquisition of information about some feature on the earth surface without coming into direct contact with it. According to [Qu and Hao \(2018\)](#), the data are collected by sensors installed on air and space platforms and then converted into images that provide details of particular feature. [Ul Din and Mak \(2021\)](#) established that remote sensing was a better way to extract LULCC attributes because it provided a high frequency of data collection, a wider field of view, and multispectral characteristics. Land cover attributes in urban areas change more quickly in a short time than in other areas. According to [Surya et al. \(2020\)](#), this is because of the high rate of urbanization that has occurred as a result of population explosion and economic growth. Remote sensing plays a key role in generating LULCC status and monitoring changes at regional and global scales ([Khamchiangta and Dhakal 2020](#); [Sahana, Hong, and Sajjad 2018](#); [Umarhadi and Danoedoro 2019](#)). According to [Jin et al. \(2019\)](#), remote sensing provided timely and critical information on LULCC for climate change and environmental studies, appropriate land management and land use decision making, as well as regional and global sustainable development. There are various types of satellites used in remote sensing. According to [E. D. Chaves, C. A. Picoli, and D. Sanches \(2020\)](#), one of those satellites is the Landsat 8. This satellite provides and global coverage, making it useful in remote sensing applications such as LULC.

[Wiatkowska, Słodczyk, and Stokowska \(2021\)](#) explained that the combination of Remote Sensing technology and Geographic Information Systems allowed for accurate monitoring of the

types of land cover in urban areas. According to [Wang et al. \(2020\)](#), this provides scientifically credible results and policy recommendations which are valuable for decision-making processes such as land use planning in an urban area. [Xie et al. \(2018\)](#) established that data collected by satellites and airborne sensors provided information on vegetation biophysical variables over large spatial and temporal scales.

According to [Olivares Campos et al. \(2021\)](#), the data are often calculated using the Normalized Difference Vegetation Index (NDVI) formula to provide information about the level of the greenness of a region's vegetation. [Huang et al. \(2021\)](#) stated that NDVI was the popular choice for measuring the level of greenness of vegetation cover on the earth's surface. It was preferred to other metrics for various reasons, including simplicity and historical data availability. [Liu et al. \(2021\)](#) established that data provided by the spectral (RED) and near-infrared (NIR) was used to calculate DVI. According to [Miller et al. \(2020\)](#), Red spectral (RED) provides information on moisture, plant type, and soil quality and shows a sharp contrast between plants and soil. On the other hand, [Naguib and Daliman \(2022\)](#) explained that the near-infrared (NIR) spectral behind the red channel spectral region collected information on plant chlorophyll. These two spectra often work side by side to measure plant health and growth. To obtain different types of information about the environment, professionals in different fields can observe the vegetation and perform, extraction on built-up land. [Zhang et al. \(2018\)](#) stated that the focus was on a technique for extracting built-up areas called Normalized Difference Built-Up Index (NDBI). [Firozjarei et al. \(2019\)](#) explained that they used NDBI and NDVI to extract and refine built-up areas from the Landsat TM images. According to [Yasin et al. \(2022\)](#), NDBI is used to measure the amount of built-up land using data from spectral shortwave infrared (SWIR) and Near Infrared (NIR).

Vegetation and buildings are an important part of the ecological system and urban landscape. According to [Mu et al. \(2020\)](#), green spaces play an important role in ecosystem services, the environment, and improving the public health of urban and rural residents

This study has a novelty compared to previous ones, where there are variations in the variables measured and analytical techniques used. Those studies include:

- a. The Effect of Vegetation and Building Density on UHI (Urban Heat Island) in Magelang City [Riyadi and Rahayu \(2019\)](#). In the study, GSI analysis and remote sensing were employed to explain the correlation of Quantitative Research Methods that used several variables such as NDVI, NDBI, or LST and the OLS formula
- b. The Impact of Vegetation and Building Density Changes on the Banda Aceh City Post-Tsunami Disaster ([Trinufi and Rahayu 2020](#)). The study used quantitative descriptive with the processing of NDVI and NDBI algorithms to explain the impacts of land changes after the tsunami disaster in Banda Aceh City.
- c. Analysis of the Impact of Land Use on the Green Space in Water Catchment Area In Padang City Using Normalized Difference Vegetation Index (NDVI) ([Driptufany, Guvil, and S 2019](#)). In the quantitative descriptive study, GSI analysis was used to explain the relationship e between the green open space area extracted from NDVI and the water catchment area

Although all the studies listed above focused on NDVI and NDBI, they examined different variables. This study also focused on remote sensing applications but examined different variables such as NDVI, NDBI, floods, and landslides to explain their effect on disasters. In contrast to previous studies, the location selection used in this study is more detailed, using a 1:5000 scale map.

By using a map with a higher scale, it is easy to analyze the vegetation and building density and explain their effects on floods and landslides in Wanea and Wenang Districts. Geographic landscape planning can become an effective approach in disaster-based spatial landscape planning and this study shows its potential in this field.

Methodology

Study area

The study location was Wenang and Wanea Districts, Manado City, North Sulawesi ([figure 1](#)).




Figure 1. Map of study locations
Source: Rupa bumi Indonesia and geoportal Manado

This study utilizes Landsat 8 images taken in the years 2013, 2017 and 2021 obtained through the website of the United States Geological Survey (USGS). It also uses secondary data such as location points for floods and landslides and DEM data from related agencies.

Data analysis

After collecting data, Geographic Information Systems were applied to examine the decision-making process and conduct quantitative analysis. Spatial analysis was also used to examine the decision-making process, which involved processing the Landsat 8 image using NDVI and NDBI algorithms. The steps used in data analysis are as shown below.

1. *Cropping Area of Interest* (AOI), which involves extracting a portion of the image that represents the study area, in this case, Wenang and Wanea Districts.

2. Radiometric corrections

Umarhadi and Danoedoro (2019) explained that the reflected images obtained through satellite sensors were usually distorted by the effects of the sensor, sun, atmosphere, and topography. To eliminate the distortion, a radiometric correction can be performed. According to Zhang et al. (2018), radiometric correction can be performed by conversion lands at the image (Landsat-8 Collection 1 L1TP) values that are still stored in digital number (DN) format to Top of Atmospheric (TOA) reflectance using radiometric rescaling in landsat metadata files with sun zenith angle correction. The formula is:

$$\rho\lambda' = M\rho \cdot Q_{cal} + A\rho / \sin(\theta_{se})$$

Description:

$\rho\lambda'$: Top of Atmosphere (TOA) Reflectance without correction for the zenith angle of the sun

$M\rho$: Band-specific multiplicative rescaling factor from metadata
(REFLECTANCE_MULT_BAND_x,
where x is the specified band number)

Q_{cal} : Satellite image pixel value (DN)

$A\rho$: Band-specific additive rescaling factor from metadata
(REFLECTANCE_ADD_BAND_x,
where x is the specified band number)

θ_{se} : Sun elevation angle
(SUN_ELEVATION)

3. Calculation of Normalized Difference Vegetation Index (NDVI)

According to Onyango and Opiyo (2022), a high NDVI value indicates dense vegetation because it is obtained from a combination of high reflectance on NIR and low reflectance on RED. The formula for calculating NDVI is as follows:

$$NDVI = \frac{NIR - RED}{NIR + RED}$$

Description:

NDVI : *Normalized Difference Vegetation Index*

NIR : Spectral value *Near Infrared* (band 5)

RED : Spectral value *RED* (band 4)

The range of NDVI values ranges from -1 to 1. Choudhury, Das, and Das (2019) explained that when NDVI value was higher or close to 1, the area had a higher vegetation density

4. Calculation of Normalized Difference Built-Up Index (NDBI)

On Hamdi and Abdul-Ameer (2021) established that built-up land and vacant land reflected more SWIR than NIR while vegetation land reflected more NIR than SWIR. The formula for calculating NDBI is as follows:

$$NDBI = \frac{SWIR - NIR}{SWIR + NIR}$$

Description:

NDBI : *Normalized Difference Built-Up Index*

NIR : Spectral value *NIR* (band 5)

SWIR : Spectral value *SWIR* (band 6)

NDBI values range from -1 to 1, where a negative NDBI value indicates water while a positive value indicates a built-up area. According to Espinoza-Molina et al. (2022), NDBI value for vegetation cover is low.

5. Overlay analysis




Overlay analysis is a crucial part of spatial analysis performed by combining two maps to produce a new map to analyze the information contained in the two original maps. An overlay analysis using an intersect function is used to detect the influence of vegetation and building density on floods and landslides. According to Mazahreh, Bsoul, and Hamoor (2019), an overlay analysis (intersect function) using GIS is mainly performed between interpolation (map) and other spatial data layers. Concerning this study, data from NDVI and NDBI as well as flood and landslide locations in Manado City specifically Wenang and Wanea Districts were used to produce a new map.

Result and discussion

Normalized difference vegetation index in Wenang and Wanea districts in 2013, 2017, and 2021

To understand vegetation density in Wenang and Wanea Districts, Landsat 8 image taken on 2 July 2013, 27 June 2017, and 24 July 2021 was processed and utilized. NDVI value obtained in Wenang District ranged from -0.47 to -0.84 in 2013. In 2017, the value ranged from -0.51 to -0.86, while in 2021, it ranged from -0.24 to -0.83. Meanwhile, NDVI value in Wanea District ranged from 0.021 to -0.86 in 2013, -0.016 to -0.87 in 2017 and 0.003 to -0.86 in 2021. NDVI classification categorizes the density of vegetation into 4 classes, including a non-vegetation, sparse, medium, and dense vegetation class. A non-vegetation class consists of water bodies, a sparse vegetation class (lowest dense) has a built-up land with minimal vegetation, while a medium vegetation class (dense) represents built-up land that already has vegetation around it. Meanwhile, a dense vegetation class (highest dense) consists of areas with high vegetation density such as bushes, shrubs and gardens. [Table 1](#) shows a visualization in the form of a map and its area in tabular form.

Table 1. Normalized vegetation index in Wenang and Wanea Districts






Table 2. Total vegetation index distribution area of 2 districts in 21 sub-districts study areas

District	Vegetation Index	Area (Ha)					
		2013	%	2017	%	2021	%
Wenang	Non-Vegetation	4.4	1	3.1	1	3.1	1
	Sparse Vegetation	216.9	64	218.6	64	221.2	65
	Medium Vegetation	80.8	24	71.2	21	70.7	21
	Dense Vegetation	39.1	11	48.2	14	45.8	13
Wanea	Sparse Vegetation	256.1	29	265.6	31	298.7	34
	Medium Vegetation	285	33	261.5	30	261.6	30
	Dense Vegetation	328.3	38	342.4	39	308.6	36


The information from the processed Landsat image concluded that the sparse vegetation class (lowest dense) in Wenang District covered largest area than other density classes, and had more built-up land, settlements, offices, and trade and service areas. There have been significant changes in the sparse vegetation class (lowest dense) in 8 years, where almost every sub-district has always experienced an increase in vegetation. The medium vegetation class (dense) has always experienced decrease in vegetation area, while the dense vegetation class (highest dense) experienced an increase of vegetation by 3% from 2013 to 2017. This information was extracted from the Landsat Image of Wenang Utara Village which was vacant land in 2013 and then turned into vegetation land in 2017 but could not maintain its vegetation growth because it experienced a decrease in vegetation density by 1%.

In Wanea District, the dense vegetation class (highest dense) has the largest area compared to other density classes because there are still many scattered vegetation areas. There have been significant changes in sparse vegetation classes (lowest dense) over the 8 years, leading to an increase in vegetation in almost every sub-district. However, there has always been a decrease in vegetation in the medium vegetation class (dense) and an increase of vegetation by 1% in the dense vegetation class. This information was extracted from the Landsat image of Bumi Nyiur Sub-district, which was a vacant land in 2013, and started experiencing vegetation growth in 2017. However, it could not maintain its vegetation growth and experienced a decrease in vegetation density by 3% in 2021.

Normalized Built-Up Index Wenang and Wanea Districts in 2013, 2017, dan 2021

To understand the building density in Wenang and Wanea Districts, Landsat 8 image taken on 2 July 2013, 27 June 2017, and 24 July 2021 was processed and used. The NDBI algorithm applied using ArcGis software mapping showed that the building density index value in Wenang District ranged from - 0.62 to 0.29 in 2013. In 2017, the value ranged from -0.089 to -0.38, and in 2021, it ranged from -0.052 to 0.33. In Wanea District, NDBI value ranged from -0.021 to -0.34 in 2013, -0.019 to -0.48 in 2017, and -0.17 to -0.42 in 2021. NDBI classification is categorized into 2 class levels, including non-built and built. Below is a visualization in the form of a map and its area in tabular form.

Table 3. Normalized built-up index in Wenang and Wanea Districts






Table 4. Total built-up index distribution area of 2 districts in 21 sub-districts study areas

District	Built-Up Index	Area (Ha)					
		2013	%	2017	%	2021	%
Wenang	Non-Building	127.9	37	126.3	37	122.3	36
	Building	213.2	63	215.2	63	219.1	64
Wanea	Non-Building	433	50	440.8	50	422.2	49
	Building	436.5	50	428.3	50	447.1	51

The information provided by the processed Landsat image concluded that the built-up area in Wenang District is larger than non-build land. Wenang is a central business district, increasing the need for build-up land in the last 8 years to make the area a center for trade and services, offices and tourism on a regional scale.

In Wanea District, the built and non-built-up land areas are of equal size. The processed Landsat image of Bumi Nyiur and Pakowa Sub-districts which were vegetation lands in 2013 and turned into build-up lands in 2017 and 2021. According to the information provided by the image, shows the built-up area increased in Wanea District, build-up land increased in 2013, reduced in 2017 and increased again in 2021 by 1%. Wanea District influences these changes in the land because it is a provincial-level government service and sub-services center harboring trade and service areas and settlements.

Although changes in land cover have benefits, they can cause several environmental problems if not implemented properly. Some of these environmental problems include floods and landslides, which can be influenced by several factors, but this study only focuses on 2 variables, including the density of vegetation and buildings. To understand the effect of vegetation and building density on floods and landslides, an overlay analysis between the data from NDVI and NDBI as well as data from the locations affected by floods and landslides was performed. Table 5 shows the results of the analysis in 2 districts.



Table 5. Effect of vegetation and building density on floods and landslides of 2 districts in 21 sub-districts study areas


Variable	Type of Disaster	Affected Area	Location	Description
Wenang District				
Vegetation and Building Density	Vegetation Index	Flood	Flood: 24.7 Ha	Flood: - Istiqhal - Komo Luar - Tikala - Kumaraka - Pinaesaan - Lawangirung - Mahakeret Barat - Wenang Utara - Wenang Selatan
	Topography	Flood		Flood locations occur at low vegetation index or sparse classes. The lack of vegetation cover causes high run-off; hence, water quickly flows to the surface.
Built-Up Index	Flood			Floods occur in areas with topography of 5-10 meters above sea level or on slopes of sloping plains.
				Dominant flooding occurs in areas with

Variable	Type of Disaster	Affected Area	Location	Description
				high-rise building index.
Wanea District				
Vegetation Index	Flood and Landslides	Flood: 143.7 Ha	Flood and Landslides: -Karombasan -Ulara -Tanjung Batu -Karombasan Selatan -Ranotana Wenu -Wanea -Bumi Nyiur -Tingkulu -Pakowa -Teling Atas	Landslides location predominantly occurs in areas with high vegetation index. Vegetation types can also affect landslides even though the area is classified as vegetation land with lots of trees, but the types that exist are only shrubs and trees whose roots are not strong enough to withstand landslide movements while flooding occurs at low vegetation indexes.
Topography	Flood and Landslides			Landslides occur in areas with topography of 25-95 meters above sea level or are dominant in wavy and wavy hilly areas Flooding on topography 10-50 meters above sea level or sloping plains.
Built-Up Index	Flood and Landslides			Flooding predominantly occurs in areas with a high-rise building index while landslides occur in low-rise or non-building indexes.

Vegetation and Building Density

Table 6. The map effect of vegetation and building density on floods and landslides





Conclusion

The analysis showed that the total distribution of vegetation density class in Wenang District has changed over 8 years. For instance, the vegetation density increased by 3% between 2013 and 2017 and decreased by 1% between 2017 and 2021. However, the same cannot be said for Wanea District, which experienced a decrease in vegetation density by 2%.

The building density in Wenang and Wanea Districts increased by 1% over 8 years because the districts are city service centers and service orientations to other centers in the vicinity. This has promoted many land changes in these areas in the form of trade and services that help support growth and the economy in Manado City. The land changes also create settlements to meet the needs of the community.

The density of vegetation and buildings also influences the occurrence of floods and landslides. A higher vegetation index is associated with the high risk of landslides while a lower vegetation index increases the chances of flooding. However, a higher building index heightens the risk of floods in the area while a lower building index promotes landslides.

Acknowledgement

This study was supported by Research and Service Institute and Urban Regional Planning Study Program of Sam Ratulangi University, North Sulawesi. The authors are grateful to the Wenang and Wanea urban village government in Manado City which gave permission to carry out a survey at the study location and also to the community for participating and supporting this study.

References

- Choudhury, Deblina, Kalikinkar Das, and Arijit Das. 2019. 'Assessment of Land Use Land Cover Changes and Its Impact on Variations of Land Surface Temperature in Asansol-Durgapur Development Region'. *The Egyptian Journal of Remote Sensing and*

- Space Science* 22 (2): 203–18. <https://doi.org/10.1016/j.ejrs.2018.05.004>.
- Driptufany, Dwi Marsiska, Quinoza Guvil, and Mardiani S. 2019. 'Ekstraksi Normalized Difference Vegetation Indeks (NDVI) Pada Citra Landsat 8 Untuk Identifikasi Ruang Terbuka Hijau Di Kawasann Resapan Air Kota Padang'. *Seminar Nasional Penginderaan Jauh* 6 (1): 48–53.
- E. D. Chaves, Michel, Michelle C. A. Picoli, and Ieda D. Sanches. 2020. 'Recent Applications of Landsat 8/OLI and Sentinel-2/MSI for Land Use and Land Cover Mapping: A Systematic Review'. *Remote Sensing* 12 (18): 3062. <https://doi.org/10.3390/rs12183062>.
- Espinoza-Molina, Jorge, Karina Acosta-Caipa, Esther Chambe-Vega, Germán Huayna, Edwin Pino-Vargas, and Jorge Abad. 2022. 'Spatiotemporal Analysis of Urban Heat Islands in Relation to Urban Development, in the Vicinity of the Atacama Desert'. *Climates* 10 (6): 87. <https://doi.org/10.3390/cli10060087>.
- Firozjaei, Sedighi, Kiavarz, Qureshi, Haase, and Alavipanah. 2019. 'Automated Built-Up Extraction Index: A New Technique for Mapping Surface Built-Up Areas Using LANDSAT 8 OLI Imagery'. *Remote Sensing* 11 (17): 1966. <https://doi.org/10.3390/rs11171966>.
- Hamdi, Halah Qahtan, and Zehraa Najim Abdul-Ameer. 2021. 'Monitoring Land Change of Cover in Al-Rusafa District In Baghdad City by Using Remote Sensing and GIS Techniques'. *Journal of Physics: Conference Series* 2114 (1): 012014. <https://doi.org/10.1088/1742-6596/2114/1/012014>.
- Huang, Sha, Lina Tang, Joseph P. Hupy, Yang Wang, and Guofan Shao. 2021. 'A Commentary Review on the Use of Normalized Difference Vegetation Index (NDVI) in the Era of Popular Remote Sensing'. *Journal of Forestry Research* 32 (1): 1–6. <https://doi.org/10.1007/s11676-020-01155-1>.
- Jin, Suming, Collin Homer, Limin Yang, Patrick Danielson, Jon Dewitz, Congcong Li, Zhe Zhu, George Xian, and Danny Howard. 2019. 'Overall Methodology Design for the United States National Land Cover Database 2016 Products'. *Remote Sensing* 11 (24): 2971. <https://doi.org/10.3390/rs11242971>.
- Kaur, Ravnish, and Kshama Gupta. 2022. 'Blue-Green Infrastructure (BGI) Network in Urban Areas for Sustainable Storm Water Management: A Geospatial Approach'. *City and Environment Interactions* 16 (December): 100087. <https://doi.org/10.1016/j.cacint.2022.100087>.
- Khamchiangta, Dararat, and Shobhakar Dhakal. 2020. 'Time Series Analysis of Land Use and Land Cover Changes Related to Urban Heat Island Intensity: Case of Bangkok Metropolitan Area in Thailand'. *Journal of Urban Management* 9 (4): 383–95. <https://doi.org/10.1016/j.jum.2020.09.001>.
- Li, Xianghai, and Yixin Wang. 2022. 'Construction of Urban Flood Disaster Emergency Management System Using Scenario Construction Technology'. Edited by Rahim Khan. *Computational Intelligence and Neuroscience* 2022 (March): 1–10. <https://doi.org/10.1155/2022/8048327>.
- Liu, Shenzhou, Wenzhi Zeng, Lifeng Wu, Guoqing Lei, Haorui Chen, Thomas Gaiser, and Amit Kumar Srivastava. 2021. 'Simulating the Leaf Area Index of Rice from Multispectral Images'. *Remote Sensing* 13 (18): 3663. <https://doi.org/10.3390/rs13183663>.
- Mazahreh, Safa, Majed Bsoul, and Doaa Abu Hamoor. 2019. 'GIS Approach for Assessment of Land Suitability for Different Land Use Alternatives in Semi Arid Environment in Jordan: Case Study (Al Gadeer Alabyad-Mafraq)'. *Information Processing in Agriculture* 6 (1): 91–108. <https://doi.org/10.1016/j.inpa.2018.08.004>.
- Miller, Isaac J., Brian Schieber, Zachary De Bey, Ernest Benner, Jacob D. Ortiz, Justyn Girdner, Parth Patel, Dominic G. Coradazzi, Justin Henriques, and Jason Forsyth. 2020. 'Analyzing Crop Health in Vineyards through a Multispectral Imaging and Drone System'. In *2020 Systems and Information Engineering Design Symposium (SIEDS)*, 1–5. IEEE. <https://doi.org/10.1109/SIEDS49339.2020.9106671>.
- Mu, Bo, Chang Liu, Guohang Tian, Yaqiong Xu, Yali Zhang, Audrey L. Mayer, Rui Lv, Ruizhen He, and Gunwoo Kim. 2020. 'Conceptual Planning of Urban–Rural Green Space from a Multidimensional Perspective: A Case Study of Zhengzhou, China'.

- Sustainability* 12 (7): 2863. <https://doi.org/10.3390/su12072863>.
- Naguib, N S, and S Daliman. 2022. 'Analysis of NDVI and NDRE Indices Using Satellite Images for Crop Identification at Kelantan'. *IOP Conference Series: Earth and Environmental Science* 1102 (1): 012054. <https://doi.org/10.1088/1755-1315/1102/1/012054>.
- Olivares Campos, Barlin Orlando, Franklin Paredes, Juan Carlos Rey, Deyanira Lobo, and Stephanie Galvis-Causil. 2021. 'The Relationship between the Normalized Difference Vegetation Index, Rainfall, and Potential Evapotranspiration in a Banana Plantation of Venezuela'. *SAINS TANAH - Journal of Soil Science and Agroclimatology* 18 (1): 58. <https://doi.org/10.20961/stjssa.v18i1.50379>.
- Onyango, Dancan O., and Stephen B. Opiyo. 2022. 'Detection of Historical Landscape Changes in Lake Victoria Basin, Kenya, Using Remote Sensing Multi-Spectral Indices'. *Watershed Ecology and the Environment* 4: 1–11. <https://doi.org/10.1016/j.wsee.2021.12.001>.
- Pradono, Budi. 2019. 'The Interiority of Proximity Between Nature and Architecture in Contemporary and Tropic Context with Cases Studies'. *ARTEKS: Jurnal Teknik Arsitektur* 3 (2): 129–44. <https://doi.org/10.30822/arteks.v3i2.63>.
- Qu, Carolyn, and Xianjun Hao. 2018. 'Agriculture Drought and Food Security Monitoring Over the Horn of Africa (HOA) from Space'. In *2018 7th International Conference on Agro-Geoinformatics (Agro-Geoinformatics)*, 1–4. IEEE. <https://doi.org/10.1109/Agro-Geoinformatics.2018.8476128>.
- Riyadi, Febriyan, and Sri Rahayu. 2019. 'The Relationship of Vegetation and Building Density toward UHI (Urban Heat Island) in Magelang City'. *Ruang* 5 (2): 83–93.
- Sahana, Mehebab, Haoyuan Hong, and Haroon Sajjad. 2018. 'Analyzing Urban Spatial Patterns and Trend of Urban Growth Using Urban Sprawl Matrix: A Study on Kolkata Urban Agglomeration, India'. *Science of The Total Environment* 628–629 (July): 1557–66. <https://doi.org/10.1016/j.scitotenv.2018.02.170>.
- Shi, Ge, Nan Jiang, and Lianqiu Yao. 2018. 'Land Use and Cover Change during the Rapid Economic Growth Period from 1990 to 2010: A Case Study of Shanghai'. *Sustainability* 10 (2): 426. <https://doi.org/10.3390/su10020426>.
- Surya, Batara, Despry Nur Annisa Ahmad, Harry Hardian Sakti, and Hernita Sahban. 2020. 'Land Use Change, Spatial Interaction, and Sustainable Development in the Metropolitan Urban Areas, South Sulawesi Province, Indonesia'. *Land* 9 (3): 95. <https://doi.org/10.3390/land9030095>.
- Trinufi, Rahmat Nanda, and Sri Rahayu. 2020. 'Analisis Perubahan Kerapatan Vegetasi Dan Bangunan Di Kota Banda Aceh Pasca Bencana Tsunami'. *Ruang* 6 (1): 28–37. <https://doi.org/10.14710/ruang.6.1.29-39>.
- Ul Din, Shaker, and Hugo Wai Leung Mak. 2021. 'Retrieval of Land-Use/Land Cover Change (LUCC) Maps and Urban Expansion Dynamics of Hyderabad, Pakistan via Landsat Datasets and Support Vector Machine Framework'. *Remote Sensing* 13 (16): 3337. <https://doi.org/10.3390/rs13163337>.
- Umarhadi, Deha A., and Projo Danoedoro. 2019. 'Correcting Topographic Effect on Landsat-8 Images: An Evaluation of Using Different DEMs in Indonesia'. In *Sixth Geoinformation Science Symposium*, edited by Sandy Budi Wibowo, Andi B. Rimba, Ammar A. Aziz, Stuart Phinn, Josaphat Tetuko Sri Sumantyo, Hasti Widyasamratri, and Sanjiwana Arjasakusuma, 41. SPIE. <https://doi.org/10.1117/12.2549109>.
- Wang, Sonam Wangyel, Belay Manjur Gebru, Munkhnasan Lamchin, Rijan Bhakta Kayastha, and Woo-Kyun Lee. 2020. 'Land Use and Land Cover Change Detection and Prediction in the Kathmandu District of Nepal Using Remote Sensing and GIS'. *Sustainability* 12 (9): 3925. <https://doi.org/10.3390/su12093925>.
- Wiatkowska, Barbara, Janusz Słodczyk, and Aleksandra Stokowska. 2021. 'Spatial-Temporal Land Use and Land Cover Changes in Urban Areas Using Remote Sensing Images and GIS Analysis: The Case Study of Opole, Poland'. *Geosciences* 11 (8): 312. <https://doi.org/10.3390/geosciences11080312>.
- Widodo, Johannes. 2019. 'Human, Nature, And Architecture'. *ARTEKS: Jurnal Teknik Arsitektur* 3 (2): 145–48. <https://doi.org/10.30822/arteks.v3i2.65>.
- Xie, Qiaoyun, Jadu Dash, Wenjiang Huang, Dailiang Peng, Qiming Qin, Hugh Mortimer,

- Raffaele Casa, et al. 2018. 'Vegetation Indices Combining the Red and Red-Edge Spectral Information for Leaf Area Index Retrieval'. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing* 11 (5): 1482–93. <https://doi.org/10.1109/JSTARS.2018.2813281>.
- Yasin, Muhammad Yazrin, Jamalunlaili Abdullah, Norzailawati Mohd Noor, Mariney Mohd Yusoff, and Nisfariza Mohd Noor. 2022. 'Landsat Observation of Urban Growth and Land Use Change Using NDVI and NDBI Analysis'. *IOP Conference Series: Earth and Environmental Science* 1067 (1): 012037. <https://doi.org/10.1088/1755-1315/1067/1/012037>.
- Yusoff, M M. 2020. 'Improving the Quality of Life for Sustainable Development'. *IOP Conference Series: Earth and Environmental Science* 561 (1): 012020. <https://doi.org/10.1088/1755-1315/561/1/012020>.
- Zhang, Hankui K., David P. Roy, Lin Yan, Zhongbin Li, Haiyan Huang, Eric Vermote, Sergii Skakun, and Jean-Claude Roger. 2018. 'Characterization of Sentinel-2A and Landsat-8 Top of Atmosphere, Surface, and Nadir BRDF Adjusted Reflectance and NDVI Differences'. *Remote Sensing of Environment* 215 (September): 482–94. <https://doi.org/10.1016/j.rse.2018.04.031>.
- Zheng, Yuanmao, Lina Tang, and Haowei Wang. 2021. 'An Improved Approach for Monitoring Urban Built-up Areas by Combining NPP-VIIRS Nighttime Light, NDVI, NDWI, and NDBI'. *Journal of Cleaner Production* 328 (December): 129488. <https://doi.org/10.1016/j.jclepro.2021.129488>.

Author(s) contribution

Andy Malik contributed to the research concepts preparation, methodologies, investigations, data analysis, visualization, articles drafting and revisions.

Valeria Theresia Woy contribute to the research concepts preparation and literature reviews, data analysis, of article drafts preparation and validation.

Rieneke Lusia Evani Sela contribute to methodology, supervision, and validation.

Ingerid Moniaga contribute to methodology, supervision, and validation.

ARTEKS

JURNAL TEKNIK ARSITEKTUR
UNIVERSITAS KATOLIK WIDYA MANDIRA ISSN 2541-0598 (Print)
ISSN 2541-1217 (Online)

Certificate of Proofreading

This document certifies that the manuscript was edited for proper English language, grammar, punctuation, spelling, and overall style by one or more of the highly qualified native English speaking editors at ARTEKS : Jurnal Teknik Arsitektur



Manuscript Title

The impact of vegetation and building density on flood and landslides in Wenang and Wanea Districts using normalized difference vegetation index and normalized difference built-up index

Author (s)

Andy Malik, Valeria Woy, Rieneke Sela, Ingerid Moniaga

Date Issued

May 20, 2023

doi: 10.30822/arteks.v8i1.2064