

DAFTAR PUSTAKA

- Afolayan, R.A., I.A. Adetinka and C.A.M. Lakpini. 2006. The estimation of live weight from body measurements in Yankasa sheep. Czech. J. Anim. Sci. 51 (8):343-348.
- Bastos, E., I. Santos, I. Parmentier, J. L. Castrillo, A. Cravador, H. Guedes-Pinto and R. Renaville. 2006. *Ovis aries* POU1F1 gene: cloning, characterization and polymorphism analysis. Genetica, Vol. 126:303-314.
- Beauchemin, V.R., M.G. Thomas, D.E. Franke, and G.A. Silver. 2006. Evaluation of DNA polymorphisms involving growth hormone relative to growth and carcass characteristics in Brahman Steers. Genet. Mol. Res. Vol. 5 (3):438-447.
- Bellows, R.A., D.J. Patterson, P.J. Burfening and D.A. Phelps. 1987. Occurrence of neonatal and postnatal mortality in range beef cattle. II. Factors contributing to calf death. Theriogenology, 28:573-586.
- Blakely, J. dan D.H. Bade. 1992. Ilmu Peternakan. (Terjemahan). Edisi ke-4. Gadjah Mada University Press. Yogyakarta.
- Bovenhuis H., and C. Schrooten. 2002. Quantitative trait loci for milk production traits in dairy cattle. Electronic communication 9:7 in Proc. 7th World Cong. Genet. Appl. Livest. Prod., Montpellier, France.
- Bozkurt, Y. 2006. Prediction of body weight from body size measurements in Brown Swiss feedlot cattle fed under small-scale farming conditions. J. Appl. Anim. Res. 29:29-32.
- Byrkit, D.R. 1987. Statistics Today: A Comprehensive Introduction. The Benjamin/Cummings Publishing Company, Inc. 2727 Sand Hill Road Menlo Park, California, 94025, USA.
- Cambell, N.A., J.B. Reece. 2008. Biology. Eighth Edition. Pearson Education Inc. Terjemahan: Wulandari DT (2010). Penerbit Erlangga.
- Carter, A.J.R., J. Hermisson, T.F. Hansen. 2005. The role of epistatic gene interactions in the response to selection and the evolution of evolvability. Theor. Popul. Biol. 68:179-196.
- Cavalli-Sforza, L.L. and W.M. Feldman. 2003. The application of molecular genetic approaches to study of human evolution. Nat. Genet. Supl. 33:266-275.

- Curtis, H., and N.S. Barnes. 2009. *Biology*. Fifth Edition. Worth Publishers, Inc. New York. USA.
- Dekkers, J. C. M., and F. Hospital. 2002. The use of molecular genetics in improvement of agricultural populations. *Nat. Rev. Genet.* 3:22–32. [\[Medline\]](#)
- Dekkers, J.C.M. 2004. Commercial application of marker and gene assisted selection in livestock: Strategies and lesson. *J. Anim. Sci.* 82:313-328.
- Departemen Pertanian, RI. 1983. *Pedoman Tehnis Peternakan*. Direktorat Bina Produksi Peternakan, Direktorat Jenderal Peternakan, DEPTAN RI.
- Dinas Kehewanan Kabupaten Minahasa. 2010. *Laporan Tahunan Peternakan Kabupaten Minahasa*. Tondano, Sulawesi Utara.
- Do, C.H., B.W. Cho, & D.H. Lee. 2012. Study on the prolactin receptor 3 (PRLR3) gene and the retinol-binding protein 4 (RBP4) gene as candidate genes for production traits in Berkshire pigs. *Asian-Aust. J. Anim. Sci.* 25 (No. 2):183-188.
- Dorak, M.T. 2006. *Basic Population Genetics*. www.dorak.info/genetics/popgen.html
- Dybus, A. 2002. Associations of growth hormone (GH) and prolactin (PRL) genes polymorphism with milk production traits in Polish Black-and-White cattle. *Anim. Sci. Papers Reports* 20(4):203-212.
- Dybus, A., M. Kmiec, Z. Sobek, W. Pietrzyk and B. Wisniewski. 2003. Association between polymorphism of growth hormone releasing hormone (*GHRH*) and pituitary transcription factor 1 (*PIT1*) genes and production traits of Limousine cattle. *Arc. Tierz., Dummerstorf* 46 (6):527-534.
- Dybus, A., I. Szatkowska, E.C. Czerniawska-Piatkowska, W. Grzesiak, J. Wojcik, E. Rzewucka, and S. Zych. 2004. Pit1-Hinf1 gene polymorphism and its associations with milk production traits in Polish Black-and-White cattle. *Archiv fur Tierzucht*, 47 (6):557-563.
- Fahmy, M.H. 2004. *Simplified principle for breeding sheep*. Agriculture and Agri-Food Canada, Ottawa, Ontario, K1A 0C7.
- Frizzas, O.G., D.A. Grossi, M.E. Buzanskas, C.C.P. Paz, L.A.F. Bezerra, R.B. Lobo, J.A. Oliveira and D.P. Munari. 2008. Heritability estimates and genetic correlations for body weight and scrotal circumference adjusted to 12 and 18 months of age for male Nellore cattle. *Animal* 3 (3):347-351. Doi: 10.1017/S175173110800373X.

- Gorbani, A., R.V. Torshizi, M. Bonyadi and C. Amirinia. 2009. A *MspI* PCR-RFLP within bovin growth hormone gene and its association with sperm quality traits in Iranian Holstein bulls. *Afr. J. Biotechnol.* Vol. 8 (19):4811-4816.
- Gordon, D.F., D.P. Quick, C.R. Erwin, J.E. Donelson and R.A. Maurer. 1983. Nucleotide sequence of the bovine growth hormone chromosomal gene. *Mol. Cell. Endocrinol.* 33 (1): 81-95. GenBank, number: M57764.1 (www.ncbi.nlm.nih.gov/nucore/m57764) Accessed on March 26, 2012.
- Hafez, B., Hafez, E.S.E. 2000. *Reproduction in Farm Animal.* 7th Ed. Philadelphia: Lippincott Williams and Wilkins.
- Hardjosubroto, W. 1994. *Aplikasi Pemuliabiakan Ternak Di Lapangan.* Gramedia Widia Sarana, Jakarta.
- Hardjosubroto, W. 2002. Arah dan sasaran penelitian dan pengembangan sapi potong di Indonesia: Tinjauan dari segi pemuliaan ternak. Workshop sapi potong, Malang, 11-12 April 2002.
- Jackson, P.G.G. 2004. *Handbook of Veterinary Obstetric.* Elsevier Saunders Company.
- Jakaria, D. Duryadi, R.R. Noor, B. Tappa, dan H. Martojo. 2007. Evaluasi keragaman genetik hormon pertumbuhan (GH) pada sapi pesisir Sumatera Barat menggunakan penciri PCR-RFLP. *Media Peternakan* 30 (No.1):1-10.
- Jakaria, R.R. Noor, H. Martojo, D. Duryadi and B. Tappa. 2009. Identification of growth hormone (Gh) gene *MspI* and *AluI* loci polymorphism in beef cattle. Faculty of Animal Science, Bogor Agricultural University. The 1st International Seminar on Animal Industry 2009. p.42-47.
- Javanmard, A., N. Asadzadeh, M.H. Banabazi and J. Tvakolian. 2005. The allele and genotype frequencies of bovine pituitary specific transcription factor and leptin genes in Iranian cattle and buffalo population using PCR-RFLP. *Iranian J. of Biotechnol.* 2: 104-108.
- Jawasreh, K.I.Z., H. Ababneh, F.T. Awawdeh, M.A. AL-Massad and A.M. Al-Majali. 2012. Genotype and allelic frequencies of a newly identified mutation causing blindness in Jordanian Awassi sheep flocks. *Asian-Aust. J. Anim. Sci.* Vol. 25 (No.1):33-36.
- Johari, S.; E. Kurnianto, Sutopo, dan S. Aminah. 2007. Keragaman protein darah sebagai parameter biogenetik pada sapi Jawa. *J. Indon. Trop. Anim. Agric.* 32 (2) :112-118.

- Johnson, S.K., G.H. Deutscher and A. Parkhurt. 1988. Relationships of pelvic structure, body measurements, pelvic area and calving difficulty. *J. Anim. Sci.* 66:1081-1088.
- Juszczuk-Kubiak, E., S.J. Rosochacki, K. Wicinska, T. Szreder and T. Sakowski. 2004. A novel RFLP/*AluI* polymorphism of the bovine calpastatin (CAST) gene and its association with selected traits of beef. *Anim. Sci. Papers and Reports*, vol.22 (no.2):195-204.
- Kassama, Y., P.J. Rooney and R. Goodacre. 2002. Fluorescent amplified fragment length polymorphism probabilistic database for identification of bacterial isolates from urinary tract infection. *J. Clin. Microbiol.* 40:2795-2800.
- Kilmaskossu, A. 1999. Hereditas, Reproduksi dan Perkembangan Pada Hewan. Modul Perkuliahan. Proyek Pengembangan Perguruan Tinggi Indonesia Timur Kerjasama Universitas Sam Ratulangi Canadian International Development Agency Simon Fraser University.
- Kish, S. 2008. Exploring How Growth Hormone are Released in Animals. National Institute of Food and Agriculture, USDA.
- Klug, W.S., and M.R. Cummings. 1991. Concept of Genetics. Third edition. Macmillan Publishing Company. New York, USA.
- Klug, W.S., M.R. Cummings, and C.A. Spencer. 2007. Essential of Genetics. Pearson Prentice Hall. New York.
- Kovacs, K., J. Volgyi, A. Zsolnai, I. Gyorkos, and L. Fesus. 2006. Associations between the *AluI* polymorphism of growth hormone gene and production and reproduction traits in a Hungarian Holstein-Friesian bull dam population. *Arch. Tierz., Dummerstorf*, Vol. 49 (3):236-249.
- Lelana, N.E.; Sutarno, dan N. Etikawati. 2003. Identifikasi polimorfisme pada fragmen ND-5 DNA mitokondria sapi Benggala dan Madura dengan teknik PCR-RLFP. *Biodiversitas* 4 (1): 1-6.
- Machado, M.A., I. Schuster, M.L. Martinez, and A.L. Campos. 2003. Genetic diversity of four breeds using microsatellite markers. *Rev. Bras. De Zool.* 32:93-98.
- Manan, D. 2002. Ilmu Kebidanan Pada Ternak. Proyek Peningkatan Penelitian Perguruan Tinggi. Dirjen. Dikti. Departemen Pendidikan Nasional.
- Marson, E.P., J.B.S. Ferraz, F.V. Meirelles, J.C.C. Balieiro, J.P. Eler, L.G.G. Figuerido and G.B. Mourao. 2005. Genetic characterization of European-Zebu composite bovine using RFLP markers. *J.Genet. Mol. Res.*4:496-505.

- Martojo, H. 1993. Indigenous Bali Cattle: The Best Suited Cattle Breed for Sustainable Small Farms in Indonesia. Laboratory of Animal Breeding and Genetics, Faculty of Animal Science, Bogor Agriculture University.
- Maylinda, S. 2011. Genetic polymorphism of growth hormone locus and its association with body weight in Grati dairy cows. *International Journal for Biotechnology and Molecular Biology Research* 2 (7):117-120.
- Meredith, M.J. 2000. *Animal Breeding and Infertility*. Blackwell Science Ltd. Australia.
- Microsoft Office Excel. 2007. Software Program of Excel XP in the Computer Program Package for Users.
- Mitra, A., P. Sciilee, C.R. Balakrisiinan, F. Pirciiner. 1995. Polymorphisms at growth hormone and prolactine loci in Indian cattle and buffalo. *J. Anim. Breed. and Genet.* 12:71-74.
- Mohamad, K., M. Olsson, H.T.A. van Tol, S. Mikko, B.H. Vlamings, G. Andersson, H. Rodriguez-Martinez, B. Purwantara, R.W. Paling, B. Colenbrander & J.A. Lenstra. 2009. On the origin of Indonesian cattle. *PLoS ONE* 4(5):e5490. Doi:10.1371.
- Naazie, A., M. Makarechian and R.T. Berg. 1991. Genetic, phenotypic and environmental parameter estimates of calving difficulty, weight, and measures of pelvic size in beef heifers. *J. Anim. Sci.* 69:4793-4800.
- Nassiry, M.R., B. Sadeghi, R. Tohidi, J.T. Afshari and M. Khosravi. 2008. Comparison of bovine lymphocyte antigen DRB3.2 allele frequencies between two subpopulations of Iranian holstein cattle. *Afr. J. Biotechnol.* Vol. 7 (15):2671-2675.
- Nei, M. 1987. Genetic distance between populations. *Amer. Nat.* 106:283-292.
- Ozkaya, S. and Y. Bozkurt. 2008. The relationships of parameters of body measures and body weight by using digital image analysis in pre-slaughter cattle. *Arch Tiers* 51:120-128.
- Ozkaya, S. and Y. Bozkurt. 2009. The accuracy of prediction of body weight from body measurements in beef cattle. *Archiv Tierzucht* 52 (4): 371-377.
- Pang, H. 1997. *Simulation Studies on the Effects of Cow Size, Milk Production and Calving Season on the Bioeconomic Efficiency of Beef Production*. A Thesis. Department of Animal Science, University of Alberta, Edmonton, Canada.
- Paputungan, U. 1997. Variation in reproductive efficiency of Indonesian native cows. *Asian-Aus. J. Anim. Sci.* Vol. 10 (No.2):240-244.

- Paputungan, U., M. Makarechian and M.F. Liu. 2000. Effects of sire birth weight on calving difficulty and maternal performance of their female progeny. *Asian-Aus. J. Anim. Sci.* Vol. 13 (No.6):729-732.
- Paputungan, U. and M. Makarechian. 2000. The influence of dam weight, body condition and udder scores on calf birth weight and preweaning growth rates in beef cattle. *Asian-Aus. J. Anim. Sci.* 2000. Vol. 13, No. 4: 435-439.
- Paputungan, U. dan J.H. Manopo. 2009. Produktifitas Sapi PO Yang Diberi Pakan Tambahan Urea Gula Merah Blok. Laporan Penelitian Proyek Hibah Bersaing, Lemlit-Unsrat.
- Pareek, C.S., R.S. Pareek and K. Walawski. 2002. Novel linkage mapping approach using DNA pooling in human and animal genetics. II. Detection of quantitative traits loci in dairy cattle. *J. Appl. Genet.* 43:309-318.
- Partodihardjo, S. 1980. Ilmu Reproduksi Hewan. Fakultas Kedokteran Hewan, IPB, Bogor.
- Pawar, R.S., K.R. Tajane, C.G. Joshi, D.N. Rank and B.P. Bramkshtri. 2007. Growth hormone gene polymorphism and its association with lactation yield in dairy cattle. *Indian J. Anim. Sci.* 77 (9):884-888.
- Petersenn, S., and H.M. Schulte. 2000. Structure and function of the growth-hormone-releasing hormone receptor. *Vitamins and hormones*, Vol. 59:35-69.
- Purba, Y.S. dan Yuzammi. 2008. Pendugaan keragaman genetik *Amorphophallus titanum* Becc. berdasarkan marka random amplified polymorphic DNA. *Biodiversitas*. Vol. 9. No. 2:103-107.
- Purwoko, A.; Sutarno dan N. Etikawati. 2003. Polimorfisme DNA pada lokus-2 gen hormon pertumbuhan sapi Madura. *Biodiversitas*, vol. 4, No. 1:7-11.
- Ratnawati, D., Pratiwi, W.C. dan Affandhy, L. 2007. Petunjuk Teknis Penanganan Gangguan Reproduksi Pada Sapi Potong. Pusat Penelitian dan Pengembangan Peternakan, Pasuruan.
- Rejduch, B. 2008. Genes associated with production and health in farm animals. *J. Central European Agric.* Vol. 9. No. 4:829-836.
- Reyna, X.F.D.L.R., H.M. Montoya, V.V. Castrellon, A.M.S. Rincon, M.P. Bracamonte and W.A. Vera. 2010. Polymorphisms in the IGF1 gene and their effect on growth traits in Mexican beef cattle. *Genet. Mol. Res.*, 9 (2): 875-883.

- Rifa'i, M. 2010. Genetika Rekombinasi dan Populasi. Edisi Pertama. Penerbit Galaxy Science, Malang, 65145. ISBN: 978-602-97628-1-5.
- Sawanon, S., P. Boonsaen and P. Innuruk. 2011. Body measurements of male Kamphaengsaen beef cattle as parameters for estimation of live weight. *Kasetsart J. (Nat. Sci.)* 45:428-434.
- Siadkowska, E., L. Zwierzchowski, J. Oprzadek, N. Strzalkowska, E. Bagnicka, and J. Krzyzewski. 2006. Effect of polymorphism in *IGF-1* gene on production traits in Polish Holstein-Friesian cattle. *Anim. Sci. Papers and Reports*, Vol. 24, No.3:225-237.
- Steel, R.G.D. and J.H. Torrie. 1980. Principle and Procedure of Statistics: A Biometrical Approach. Second Ed. McGraw-Hill International Book Inc., Toronto.
- Sulandari, S. and M.S.A. Zein. 2003. Protocols in DNA Laboratory, Center of Biology Research. Laboratory Guideline Book. The Indonesian Institute of Sciences. Pp.23-45.
- Sulawesi Utara Dalam Angka. 2010. Badan Pusat Statistik Sulawesi Utara. Dokumen BPS Sulut.
- Sumantri, C., A. Anggraeni, A. Farajallah dan D. Perwitasari. 2007. Keragaman mikrosatelit DNA sapi perah FH di balai pembibitan ternak unggul Baturaden. *Jurnal Ilmu Ternak dan Veteriner*, Vol. 12 (2):124-133.
- Sumantri, C., R. Diyono, A. Farajallah dan I. Inounu. 2008. Polimorfisme gen *Calpastatin* (*CAST-MspI*) dan pengaruhnya terhadap bobot badan domba lokal. *Jurnal Ilmu Ternak dan Veteriner*, Vol. 13. No. 2:117-126.
- Susanti-VH, E. 2003. Isolasi dan karakterisasi protease dari *Bacillus subtilis* 1012M12. *Biodiversitas*, Vol. 4, No. 1:12-17.
- Sutarno. 2002. Sequence variation of bovine mitochondrial ND-5 between haplotypes of composite and Hereford Breeds of beef cattle. *Biodiversitas*, vol. 3. No.2:213-219.
- Sutarno. 2003. Review: Genetic Diversity: Detection of Gene Variation at the DNA Level and Utilization of Gene Markers on Locating QTLs. *Biodiversitas*, vol. 4. No.1:58-62.
- Sutarno, A. Junaidi dan B. Tappa. 2005. Polimorfisme *MspI* pada lokus 2 gen hormon pertumbuhan sapi PO dan pengaruhnya terhadap capaian berat badan harian. *Biodiversitas*, vol. 6, No. 2:77-81.
- Sutarno. 2010. Genetic variation among Indonesian native cattle breeds based on polymorphisms analysis in the growth hormone loci and mitochondrial DNA. *Biodiversitas*, vol. 11, No. 1-5.

- Takaendengan, B.J., U. Paputungan, R.R. Noor and S. Adiani. 2012. Live weight estimation by chest girth, body length and body volume formula in Minahasa local horse. *Media Peternakan*, August 2012, pp.80-84. <http://medpet.journal.ipb.ac.id/DOI:10.5398/medpet.2012.35.2.80>.
- Tambasco, D.D., C.C.P. Paz, M. Tambasco-Studart, A.P. Pereira, M.M. Alencar, A.R. Freitas, L.L. Coutinho, I.U. Packer and L.C.A. Regitano. 2003. Candidate genes for growth traits in beef cattle crosses *Bos Taurus x Bos indicus*. *J. Anim Breed. Genet.* 120:51-56.
- Thomas, MG., R.M. Enns, G.A. Silver, and M.D. Garcia. 2004. Growth hormone (GH) gene polymorphisms appear to differentially influence pituitary responsiveness to growth hormone releasing hormone (GHRH) among *Bos taurus* and *Bos indicus*-derivative cattle. *Int. Plant and Animal Genome XII:229* (Abstract). Available at <http://www.intl-pag.org/>
- Thomas, MG., G.A. Silver, and R.M. Enns. 2006. Relationships of DNA polymorphisms in growth hormone (GH) to growth and carcass traits observed in a population of Brangus bulls with a larger number of sires. *Int. Plant and Animal Genome XIV:P526* (Abstract). Available at <http://www.intl-pag.org/>
- Toelihere, M.R. 1981. *Inseminasi Buatan Pada Ternak*. P.T. Angkasa, Bandung.
- Udeh I, P.O. Akporhwarho and C.O. Onogbe. 2011. Phenotypic correlations among body measurements and physiological parameters in Muturu and Zebu cattle. *Asian Research Publishing Network (ARPN) Journal of Agricultural and Biological Science* 6 (No.4):1-4.
- Van Donkersgoed, J., C.S. Ribble, H.G.G. Townsend and E.D. Janzen. 1990. The usefulness of pelvic area measurements as an on-farm test for predicting calving difficulty in beef heifers. *Can. Vet. J.* 31:190-193.
- Vandergraft, J.S. 2003. *Introduction to Numerical Computations*. Academic Press, New York, U.S.A.
- Van Vleck, L.D., E.J. Pollak and E.A.B. Oltenacu. 1987. *Genetics for the animal science*. W.H. Freeman and Company, New York.
- Vignal, A., D. Milan, M. SanCristobal and A. Eggen. 2002. A review on SNP and other types of molecular markers and their use in animal genetics. *Genet. Sel. Evol.* 34:275-305.
- Viljoen, G.J., L.H. Nel dan J.R. Crowther. 2005. *Molecular Diagnostic PCR Handbook*. Springer, Dordrecht, Netherland.

Walpole

- Weller, J.I. 2001. Quantitative Trait Loci Analysis in Animal. CABI Publishing, New York.
- Widodo, W. dan L. Hakim. 1981. Pemuliaan Ternak (Animal Breeding). Lembaga Penerbit Universitas Brawijaya, Malang.
- Williams, J.L. 2005. The use of marker-assisted selection in animal breeding and biotechnology. *Ev. Sci. Tech. Int. Epiz.* Vol. 24 (1):379-391.
- Xiao, Q. 2006. Identification of Quantitative Trait Loci Linked Markers And Characterization of Positional Candidate Genes For Beef Marbling in Wagyu x Limousin F2 Crosses. Dissertation. Department of Animal Sciences, Washington State University, USA.
- Ya-Bo, Y., W. Jin-Yu, D.M. Mekki, T. Qing-Ping, L. Hui-Fang, G. Rong, G. Qing-Lian, Z. Wen-Qi, and C. Kuan-Wei. 2006. Evaluation of genetic diversity and genetic distance between twelve Chinese indigenous chicken breeds based on microsatellite markers. *Int. J. Poult. Sci.* 5 (6):550-556.
- Yuwono, T. 2005. *Biologi Molekuler*. Penerbit Erlangga. Yogyakarta.
- Zhou, G.L., H. Liu, C. Liu, S.L. Guo, Q. Zhu and Y.H. Wu. 2005. Association of genetic polymorphism in GH gene with milk production traits in Beijing Holstein cows. *J. Biosciences*, 30(5):595-598.